

# Examples from Fleiss 1993

## Table of contents

- Abstract
- Plain language summary
- Background
- Objectives
- Methods
  - Criteria for considering studies for this review
  - Search methods for identification of studies
  - Data collection and analysis
- Results
  - Description of studies
  - Risk of bias in included studies
- Discussion
- Authors' conclusions
- Data and analyses
- Sources of support
  - Internal sources
  - External sources
- Characteristics of studies
  - Characteristics of included studies [ordered by study ID]
- References
  - References to studies included in this review

Editors: Cochrane [Unknown]

Contact Person: ()

Not specified

[<sup>1</sup>]

[1] Not specified

### Citation

. Examples from Fleiss 1993. Cochrane Database of Systematic Reviews TBD, Issue TBD. Art. No.: . DOI: .

### Dates

Revision published: Issue TBD, TBD (TBD)

Version published (citation changed): Issue TBD, TBD (TBD)

Review first published: Issue TBD, TBD

Protocol first published: N/A

---

## Abstract

## Background

## Objectives

## Search methods

## Selection criteria

## Data collection and analysis

## Main results

## Authors' conclusions

# Plain language summary

## [Plain language title]

[Summary text]

---

## Background

## Objectives

## Methods

### Criteria for considering studies for this review

Types of outcome measures

### Search methods for identification of studies

### Data collection and analysis

## Results

### Description of studies

### Risk of bias in included studies

## Discussion

## Authors' conclusions

## Data and analyses

### Comparison 1

#### Examples from Fleiss (1993)

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size	
1.1 Aspirin for Preventing Death after Myocardial Infarction	7	28003	Odds Ratio (M-H, Fixed, 95% CI)	0.90 [0.84, 0.96]	
1.2 Mental Health Treatment versus Control	5	232	Mean Difference (IV, Fixed, 95% CI)	-0.71 [-1.26, -0.16]	

# Sources of support

## Internal sources

- No sources of support provided

## External sources

- No sources of support provided

# Characteristics of studies

## Characteristics of included studies [ordered by study ID]

### AMIS

<i>Study characteristics</i>	
Methods	
Participants	
Interventions	
Outcomes	
Notes	

### CDP

<i>Study characteristics</i>	
Methods	
Participants	
Interventions	
Outcomes	
Notes	

### Davis

<i>Study characteristics</i>	
Methods	
Participants	
Interventions	
Outcomes	
Notes	

### Florell

<i>Study characteristics</i>	
Methods	
Participants	
Interventions	
Outcomes	
Notes	

### GASP

<i>Study characteristics</i>	
Methods	
Participants	
Interventions	
Outcomes	
Notes	

### Gruen

<i>Study characteristics</i>	
Methods	
Participants	

Interventions
Outcomes
Notes

**Hart**

<b>Study characteristics</b>
Methods
Participants
Interventions
Outcomes
Notes

**ISIS-2**

<b>Study characteristics</b>
Methods
Participants
Interventions
Outcomes
Notes

**MRC-1**

<b>Study characteristics</b>
Methods
Participants
Interventions
Outcomes
Notes

**MRC-2**

<b>Study characteristics</b>
Methods
Participants
Interventions
Outcomes
Notes

**PARIS**

<b>Study characteristics</b>
Methods
Participants
Interventions
Outcomes
Notes

**Wilson**

<b>Study characteristics</b>
Methods
Participants
Interventions
Outcomes
Notes

# References

## References to studies included in this review

AMIS {published data only}

CDP {published data only}

Davis {published data only}

Florell {published data only}

GASP {published data only}

Gruen {published data only}

Hart {published data only}


ISIS-2 {published data only}

MRC-1 {published data only}


MRC-2 {published data only}

PARIS {published data only}

Wilson {published data only}



Analysis 1.2



Comparison 1: Examples from Fleiss (1993), Outcome 2: Mental Health Treatment versus Control