

# Package ‘EpiCurve’

January 20, 2025

**Type** Package

**Title** Plot an Epidemic Curve

**Version** 2.4-2

**Date** 2021-07-14

**Description**

Creates simple or stacked epidemic curves for hourly, daily, weekly or monthly outcome data.

**License** LGPL-3

**Encoding** UTF-8

**URL** <https://github.com/IamKDO/EpiCurve>

**Depends** ggplot2, dplyr, ISOweek, scales, timeDate

**Imports** RColorBrewer, tibble

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Jean Pierre Decorps [aut, cre]

**Maintainer** Jean Pierre Decorps <jean.pierre.decorps@gmail.com>

**Repository** CRAN

**Date/Publication** 2021-07-14 16:20:05 UTC

## Contents

EpiCurve . . . . .	2
<b>Index</b>	<b>4</b>

EpiCurve

*Plot an Epidemic Curve***Description**

This function plot an epidemic curve with ggplot2

**Usage**

```
EpiCurve(x, date = NULL, freq = NULL, cutvar = NULL,
  period = NULL, to.period = NULL, split = 1, cutorder = NULL, colors = NULL,
  title = NULL, xlabel = NULL, ylabel=NULL, note=NULL, square = TRUE)
```

**Arguments**

x	data.frame with at least one column with Date type
date	character, name of Date column
freq	character, name of a column with a value to display
cutvar	character, name of a column with factors
period	character, c("hour", "day", "week", "month")
to.period	character, Convert date period to another period only for aggregated data. If period is "day", to.period can be "week" or "month". If period is "week", to.period can be "month".
split	integer, c(1,2,3,4,6,8,12) Value for hourly split
cutorder	character vector of factors
colors	character vector of colors
title	character, title of the plot
xlabel	character, label for x axis
ylabel	character, label for y axis
note	character, add a note under the graph
square	boolean, If TRUE (default) squares are used to plot the curve, else if the number of cases is too high please use square = FALSE

**Details**

When period is "week" the date MUST be in ISOweek format YYYY-WNN and library ISOweek is needed. When period is "month" the date MUST be formatted YYYY-MM.

When period is "hour" the date MUST be in timeDate format (YYYY-mm-dd HH:MM:SS) or (YYYY-mm-dd HH:MM)

**Author(s)**

<jean.pierre.decorps@gmail.com>

## References

<<https://rlab-epiconcept.blogspot.fr/2016/09/courbes-epidemiques-avec-ggplot2.html>>  
<[https://fr.wikipedia.org/wiki/Courbe\\_épidémique](https://fr.wikipedia.org/wiki/Courbe_épidémique)>

## Examples

```
# library(EpiCurve)
date <- seq(as.timeDate("2017-05-10 21:35:22"), as.timeDate("2017-05-12 06:15:12"), by="12 min")
val <- rep(1, length(date))
tri <- rep(c("Alive", "Died", "Unknown"), length.out=length(date))
DF <- data.frame(date, val, tri, stringsAsFactors=TRUE)
names(DF) <- c("date", "value", "tri")

EpiCurve(DF,
  date = "date",
  freq = "value",
  period = "hour",
  split = 4,
  cutvar = "tri",
  ylabel="Number of cases",
  xlabel= "From 2017-05-10 21:35:22 To 2017-05-12 06:15:12",
  title = "Epidemic Curve")
```

# Index

\* ~**documentation**

EpiCurve, [2](#)

EpiCurve, [2](#)