

Package ‘peopleanalytics’

October 25, 2022

Title Data Sets for Craig Starbuck's Book, ``The Fundamentals of People Analytics: With Applications in R''

Version 0.1.0

Description Data sets associated with modeling examples in Craig Starbuck's book, ``The Fundamentals of People Analytics: With Applications in R''.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.1

Depends R (>= 3.5.0)

LazyData true

NeedsCompilation no

Author Craig Starbuck [aut, cre] (<<https://orcid.org/0000-0001-5089-2850>>)

Maintainer Craig Starbuck <cstarbuck@orgacuity.com>

Repository CRAN

Date/Publication 2022-10-25 17:22:35 UTC

R topics documented:

benefits	2
demographics	2
employees	3
job	4
payroll	5
performance	6
prior_employment	6
sentiment	7
status	7
survey_responses	8
tenure	9
turnover_trends	10

Index	11
--------------	-----------

benefits	<i>benefits</i>
----------	-----------------

Description

Fictitious benefits data for employees in a mid-size company

Usage

```
data("benefits")
```

Format

A data frame with 1471 observations on the following 3 variables.

`employee_id` Unique identifier for each employee

`stock_opt_lvl` Job level, where 1 = 'Junior' and 5 = 'Senior'

`trainings` Number of trainings completed within the past year

Examples

```
data(benefits)
```

demographics	<i>demographics</i>
--------------	---------------------

Description

Fictitious demographics data for employees in a mid-size company

Usage

```
data("demographics")
```

Format

A data frame with 1470 observations on the following 7 variables.

`employee_id` Unique identifier for each employee

`age` Employee age in years

`commute_dist` Commute distance in miles

`ed_lvl` Education level, where 1 = 'High School', 2 = 'Associate Degree', 3 = 'Bachelor's Degree', 4 = 'Master's Degree', and 5 = 'Doctoral Degree'

`ed_field` Education field associated with most recent degree

`gender` Gender self-identification

`marital_sts` Marital status

Examples

```
data(demographics)
```

```
employees
```

```
employees
```

Description

Fictitious data on employees in a mid-size company

Usage

```
data("employees")
```

Format

A data frame with 1470 observations on the following 36 variables.

`employee_id` Unique identifier for each employee

`active` Flag set to 'Yes' for active employees and 'No' for inactive employees

`stock_opt_lvl` Stock option level

`trainings` Number of trainings completed within the past year

`age` Employee age in years

`commute_dist` Commute distance in miles

`ed_lvl` Education level, where 1 = 'High School', 2 = 'Associate Degree', 3 = 'Bachelor's Degree', 4 = 'Master's Degree', and 5 = 'Doctoral Degree'

`ed_field` Education field associated with most recent degree

`gender` Gender self-identification

`marital_sts` Marital status

`dept` Department of which an employee is a member

`engagement` Employee engagement score measured on a 4-point Likert scale, where 1 = 'Highly Disengaged' and 4 = 'Highly Engaged'

`job_lvl` Job level, where 1 = 'Junior' and 5 = 'Senior'

`job_title` Job title

`overtime` Flag set to 'Yes' if the employee is nonexempt and works overtime and 'No' if the employee does not work overtime

`business_travel` Business travel frequency

`hourly_rate` Hourly rate calculated irrespective of hourly/salaried employees

`daily_comp` Hourly rate * 8

`monthly_comp` Hourly rate * 2080 / 12

`annual_comp` Hourly rate * 2080

ytd_leads Year-to-date (YTD) number of leads generated for employees in Sales Executive and Sales Representative positions
 ytd_sales Year-to-date (YTD) sales measured in USD for employees in Sales Executive and Sales Representative positions
 standard_hrs Expected working hours over a two-week payroll cycle
 salary_hike_pct The percent increase in salary for the employee's most recent compensation adjustment (whether due to a standard merit increase, off-cycle adjustment, or promotion)
 perf_rating Most recent performance rating, where 1 = 'Needs Improvement', 2 = 'Core Contributor', 3 = 'Noteworthy', and 4 = 'Exceptional'
 prior_emplr_cnt Number of prior employers
 env_sat Environment satisfaction score measured on a 4-point Likert scale, where 1 = 'Highly Dissatisfied' and 4 = 'Highly Satisfied'
 job_sat Job satisfaction score measured on a 4-point Likert scale, where 1 = 'Highly Dissatisfied' and 4 = 'Highly Satisfied'
 rel_sat Colleague relationship satisfaction score measured on a 4-point Likert scale, where 1 = 'Highly Dissatisfied' and 4 = 'Highly Satisfied'
 wl_balance Work-life balance score measured on a 4-point Likert scale, where 1 = 'Poor Balance' and 4 = 'Excellent Balance'
 work_exp Total years of work experience
 org_tenure Years at current company
 job_tenure Years in current job
 last_promo Years since last promotion
 mgr_tenure Years under current manager
 interview_rating Average rating across the interview loop for the onsite stage of the employee's recruiting process, where 1 = 'Definitely Not' and 5 = 'Definitely Yes'

Examples

```
data(employees)
```

```
job
```

```
job
```

Description

Fictitious job data for employees in a mid-size company

Usage

```
data("job")
```

Format

A data frame with 1470 observations on the following 6 variables.

- employee_id Unique identifier for each employee
- dept Department of which an employee is a member
- job_lvl Job level, where 1 = 'Junior' and 5 = 'Senior'
- job_title Job title
- overtime Flag set to 'Yes' if the employee is nonexempt and works overtime and 'No' if the employee does not work overtime
- business_travel Business travel frequency

Examples

```
data(job)
```

payroll	<i>payroll</i>
---------	----------------

Description

Fictitious payroll data for employees in a mid-size company

Usage

```
data("payroll")
```

Format

A data frame with 1470 observations on the following 6 variables.

- employee_id Unique identifier for each employee
- hourly_rate Hourly rate calculated irrespective of hourly/salaried employees
- daily_comp Hourly rate * 8
- monthly_comp Hourly rate * 2080 / 12
- annual_comp Hourly rate * 2080
- standard_hrs Expected working hours over a two-week payroll cycle

Examples

```
data(payroll)
```

performance *performance*

Description

Fictitious performance data for employees in a mid-size company

Usage

```
data("performance")
```

Format

A data frame with 1470 observations on the following 3 variables.

employee_id Unique identifier for each employee

salary_hike_pct The percent increase in salary for the employee's most recent compensation adjustment (whether due to a standard merit increase, off-cycle adjustment, or promotion)

perf_rating Most recent performance rating, where 1 = 'Needs Improvement', 2 = 'Core Contributor', 3 = 'Noteworthy', and 4 = 'Exceptional'

Examples

```
data(performance)
```

prior_employment *prior_employment*

Description

Fictitious prior employment data for employees in a mid-size company

Usage

```
data("prior_employment")
```

Format

A data frame with 1470 observations on the following 2 variables.

employee_id Unique identifier for each employee

prior_emplr_cnt Number of prior employers

Examples

```
data(prior_employment)
```

sentiment	<i>sentiment</i>
-----------	------------------

Description

Fictitious sentiment data for employees in a mid-size company

Usage

```
data("sentiment")
```

Format

A data frame with 1470 observations on the following 6 variables.

`employee_id` Unique identifier for each employee

`env_sat` Environment satisfaction score measured on a 4-point Likert scale, where 1 = 'Highly Dissatisfied' and 4 = 'Highly Satisfied'

`engagement` Employee engagement score measured on a 4-point Likert scale, where 1 = 'Highly Disengaged' and 4 = 'Highly Engaged'

`job_sat` Job satisfaction score measured on a 4-point Likert scale, where 1 = 'Highly Dissatisfied' and 4 = 'Highly Satisfied'

`rel_sat` Colleague relationship satisfaction score measured on a 4-point Likert scale, where 1 = 'Highly Dissatisfied' and 4 = 'Highly Satisfied'

`wl_balance` Work-life balance score measured on a 4-point Likert scale, where 1 = 'Poor Balance' and 4 = 'Excellent Balance'

Examples

```
data(sentiment)
```

status	<i>status</i>
--------	---------------

Description

Fictitious data on the active status of employees in a mid-size company

Usage

```
data("status")
```

Format

A data frame with 1470 observations on the following 2 variables.

`employee_id` Unique identifier for each employee

`active` Flag set to 'Yes' for active employees and 'No' for inactive employees

Examples

```
data(status)
```

<code>survey_responses</code>	<i>survey_responses</i>
-------------------------------	-------------------------

Description

Fictitious survey responses for anonymized employees in a mid-size company

Usage

```
data("survey_responses")
```

Format

A data frame with 400 observations on the following 12 variables.

`belong` Belonging score measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

`effort` Discretionary Effort score measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

`incl` Inclusion score measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

`eng_1` Engagement score on item 1 of 3 measured on a 5-point Likert scale, where 1 = 'Highly Disengaged' and 5 = 'Highly Engaged'

`eng_2` Engagement score on item 2 of 3 measured on a 5-point Likert scale, where 1 = 'Highly Disengaged' and 5 = 'Highly Engaged'

`eng_3` Engagement score on item 3 of 3 measured on a 5-point Likert scale, where 1 = 'Highly Disengaged' and 5 = 'Highly Engaged'

`happ` Happiness score measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

`psafety` Psychological Safety score measured on a 7-point Likert scale, where 1 = 'Highly Unfavorable' and 7 = 'Highly Favorable'

`ret_1` Retention score on item 1 of 3 measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

`ret_2` Retention score on item 2 of 3 measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

ret_3 Retention score on item 3 of 3 measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

ldrshp Senior Leadership score measured on a 5-point Likert scale, where 1 = 'Highly Unfavorable' and 5 = 'Highly Favorable'

Examples

```
data(survey_responses)
```

tenure	<i>tenure</i>
--------	---------------

Description

Fictitious tenure data for employees in a mid-size company

Usage

```
data("tenure")
```

Format

A data frame with 1470 observations on the following 6 variables.

employee_id Unique identifier for each employee

work_exp Flag set to 'Yes' for active employees and 'No' for inactive employees

org_tenure Years at current company

job_tenure Years in current job

last_promo Years since last promotion

mgr_tenure Years under current manager

Examples

```
data(tenure)
```

turnover_trends	<i>turnover_trends</i>
-----------------	------------------------

Description

Fictitious monthly employee turnover rates by several dimensions

Usage

```
data("turnover_trends")
```

Format

A data frame with 3000 observations on the following 6 variables.

`year` Integer representing the year, which ranges from 1 (earliest) to 5 (most recent)

`month` Integer representing the month, which ranges from 1 (January) to 12 (December)

`job` Job title

`level` Job level, where 1 = 'Junior' and 5 = 'Senior'

`remote` Flag set to 'Yes' for a remote worker and 'No' for a non-remote worker

`turnover_rate` Monthly turnover rate, calculated by dividing the termination count into the average headcount (beginning headcount + ending headcount / 2) for the respective month

Examples

```
data(turnover_trends)
```

Index

* datasets

- benefits, [2](#)
- demographics, [2](#)
- employees, [3](#)
- job, [4](#)
- payroll, [5](#)
- performance, [6](#)
- prior_employment, [6](#)
- sentiment, [7](#)
- status, [7](#)
- survey_responses, [8](#)
- tenure, [9](#)
- turnover_trends, [10](#)

[benefits, 2](#)

[demographics, 2](#)

[employees, 3](#)

[job, 4](#)

[payroll, 5](#)

[performance, 6](#)

[prior_employment, 6](#)

[sentiment, 7](#)

[status, 7](#)

[survey_responses, 8](#)

[tenure, 9](#)

[turnover_trends, 10](#)