

# Package ‘redatamx’

November 21, 2024

**Title** R Interface to 'Redatam' Library

**Version** 1.0.1

**Maintainer** Jaime Salvador <jaime.salvador@ideasybits.com>

**Description** Provides an API to work with 'Redatam' (see <<https://redatam.org>>) databases in both formats: 'RXDB' (new format) and 'DICX' (old format) and running 'Redatam' programs written in 'SPC' language. It's a wrapper around 'Redatam' core and provides functions to open/close a database (redatam\_open()/redatam\_close()), list entities and variables from the database (redatam\_entities(), redatam\_variables()) and execute a 'SPC' program and gets the results as data frames (redatam\_query(), redatam\_run()).

**License** GPL (>= 3)

**Encoding** UTF-8

**Language** en-US

**RoxygenNote** 7.3.2

**NeedsCompilation** yes

**LinkingTo** cpp11

**SystemRequirements** 'Redatam' runtime engine (see <https://redatam.org>),  
The dynamic binary library is downloaded from  
<<https://redatam-core.s3.us-west-2.amazonaws.com>> during the  
build step. Currently supported platforms are Windows, Linux  
and macOS.

**Copyright** See COPYRIGHTS for details.

**URL** <https://ideasybits.github.io/redatamx4r/>,  
<https://github.com/ideasybits/redatamx4r/>

**BugReports** <https://github.com/ideasybits/redatamx4r/issues>

**Config/Needs/website** rmarkdown

**Author** Jaime Salvador [aut, cre] (<<https://orcid.org/0000-0002-3564-8929>>),  
CELADE [cph]

**Repository** CRAN

**Date/Publication** 2024-11-21 14:20:03 UTC

## Contents

outputs . . . . .	2
redatam_close . . . . .	3
redatam_entities . . . . .	3
redatam_open . . . . .	4
redatam_query . . . . .	5
redatam_run . . . . .	6
redatam_save . . . . .	7
redatam_variables . . . . .	7
redatam_version . . . . .	8
<b>Index</b>	<b>9</b>

---

outputs	<i>Environment for Outputs Tables</i>
---------	---------------------------------------

---

### Description

This environment is created to store the outputs generated by a Redatam program execution. The environment contains TABLES (Redatam outputs) generated from `FREQ`, `AREALIST`, `MATOP`, `TABLIS` commands. You can't modify objects contained in this environment.

### Usage

outputs

### Format

An object of class environment of length 0.

### Examples

```
## Not run:
dic<-redatam_open("path/to/rxdb")
df<-redatam_query(dic,"tbl1<-freq person.sexo")
# Accessing the tbl1 object from environment
redatamx::outputs$tbl1
# Accessing the output from Global Environment
print(df)

## End(Not run)
```

---

redatam_close	<i>Close dictionary</i>
---------------	-------------------------

---

**Description**

Close a REDATAM database.

**Usage**

```
redatam_close(dic)
```

**Arguments**

dic                    Dictionary identifier (returned by redatam\_open())

**Value**

No return value.

**Author(s)**

Jaime Salvador

**Examples**

```
## Not run:
dic<-redatam_open("path/to/rxdb")
# run some queries using 'redatam_query' or 'redatam_run'
# close de dictionary
redatam_close(dic);

## End(Not run)
```

---

redatam_entities	<i>List entities</i>
------------------	----------------------

---

**Description**

List the entities in a databse.

**Usage**

```
redatam_entities(dic)
```

**Arguments**

dic                    Dictionary identifier (returned by redatam\_open())

**Value**

Data frame that contains all the entities in the database.

**Author(s)**

Jaime Salvador

**Examples**

```
## Not run:  
dic<-redatam_open("path/to/rxdb")  
redatam_entities(dic);  
  
## End(Not run)
```

---

redatam_open	<i>Open dictionary</i>
--------------	------------------------

---

**Description**

Open a REDATAM database. This function returns an ID than can be used in functions to query data.

**Usage**

```
redatam_open(dictionary_name)
```

**Arguments**

```
dictionary_name  
Dictionary file name
```

**Value**

ID than can be used in functions to query data.

**Author(s)**

Jaime Salvador

**Examples**

```
## Not run:  
dic<-redatam_open("path/to/rxdb")  
  
## End(Not run)
```

---

redatam_query	<i>Execute a Redatam command from text</i>
---------------	--

---

### Description

Execute a Redatam command: TABLE or AREALIST. This function removes all the rows that contain total, na or mv values. Additionally, this function removes the "mask" columns.

### Usage

```
redatam_query(dic, spc, tot.omit = TRUE)
```

### Arguments

dic	Dictionary identifier
spc	Program text in SPC format
tot.omit	Omit rows containing total, na y mv values

### Value

If the program contains more than one table, the method returns the last table (in the SPC program) as a data frame. All the tables are registered (as data frames) in a custom environment called 'redatam::outputs'.

### Author(s)

Jaime Salvador

### Examples

```
## Not run:  
dic<-redatam_open("path/to/rxdb")  
df<-redatam_query(dic,"freq person.sexo")  
print(df)  
  
## End(Not run)
```

---

redatam_run	<i>Execute a Redatam command from file</i>
-------------	--

---

### Description

Execute a Redatam command: TABLE or AREALIST. This function removes all the rows that contain total, na or mv values. Additionally, this function removes the "mask" columns.

### Usage

```
redatam_run(dic, file_name, tot.omit = TRUE)
```

### Arguments

dic	Dictionary identifier
file_name	Program file name
tot.omit	Omit rows containing total, na y mv values

### Value

If the program contains more than one table, the method returns the last table (in the SPC program) as a data frame. All the tables are registered (as data frames) in a custom environment called 'redatam::outputs'.

### Author(s)

Jaime Salvador

### Examples

```
## Not run:  
dic<-redatam_open("path/to/rxdb")  
df<-redatam_run(dic,"/path/to/nmir_test.spc")  
print(df)  
  
## End(Not run)
```

---

redatam_save	<i>Save dictionary</i>
--------------	------------------------

---

**Description**

Save a REDATAM database. This function can be used to save a dictionary.

**Usage**

```
redatam_save(dic, name = "")
```

**Arguments**

dic	Dictionary identifier (returned by redatam_open())
name	Dictionary file name

**Value**

No return value.

**Author(s)**

Jaime Salvador

**Examples**

```
## Not run:  
dic<-redatam_open("path/to/rxdb")  
...  
redatam_save(dic,"path/to/new/dictionary.rxdb")  
  
## End(Not run)
```

---

redatam_variables	<i>List variables for entity</i>
-------------------	----------------------------------

---

**Description**

List the variables in an entity.

**Usage**

```
redatam_variables(dic, entity_name)
```

**Arguments**

dic                Dictionary identifier (returned by redatam\_open())  
entity\_name        Entity's name

**Value**

Data frame that contains all the variables from the 'entity\_name'.

**Author(s)**

Jaime Salvador

**Examples**

```
## Not run:  
dic<-redatam_open("path/to/rxdb")  
redatam_variables(dic, "person")  
  
## End(Not run)
```

---

redatam\_version        *Get the Redatam API version*

---

**Description**

Returns the current version of the native Redatam API.

**Usage**

```
redatam_version()
```

**Value**

String with the Redatam Engine version.

**Author(s)**

Jaime Salvador

**Examples**

```
redatam_version()
```



# Index

\* **datasets**

outputs, [2](#)

outputs, [2](#)

redatam\_close, [3](#)

redatam\_entities, [3](#)

redatam\_open, [4](#)

redatam\_query, [5](#)

redatam\_run, [6](#)

redatam\_save, [7](#)

redatam\_variables, [7](#)

redatam\_version, [8](#)