

Package ‘rpf’

August 21, 2023

Type Package

Title Response Probability Functions

Version 1.0.14

Date 2023-08-21

Maintainer Joshua Pritikin <jpritikin@pobox.com>

Description Factor out logic

and math common to Item Factor Analysis fitting, diagnostics, and analysis. It is envisioned as core support code suitable for more specialized IRT packages to build upon. Complete access to optimized C functions are made available with `R_RegisterCCallable()`.

This software is described in Pritikin & Falk (2020) <[doi:10.1177/0146621620929431](https://doi.org/10.1177/0146621620929431)>.

License GPL (>= 3)

URL <https://github.com/jpritikin/rpf>

Depends methods,

parallel,
R (>= 2.14.0)

Imports Rcpp (>= 1.0.2),

mvtnorm,
lifecycle

Suggests testthat,

roxygen2,
ggplot2,
reshape2,
gridExtra,
numDeriv,
knitr,
mirt,
markdown

LinkingTo Rcpp,

RcppEigen

VignetteBuilder knitr

RdMacros lifecycle

Encoding UTF-8

LazyData yes

LazyDataCompression xz

RoxygenNote 7.2.3

SystemRequirements GNU make

Collate 'init.R'

'classes.R'

'fit.R'

'drm.R'

'nrm.R'

'mcm.R'

'grm.R'

'LSAT.R'

'sample.R'

'dataframe.R'

'diagnose.R'

'science.R'

'kct.R'

'openmx.R'

'flexmirt.R'

'util.R'

'Imp.R'

'grmp.R'

'gpcmp.R'

'RcppExports.R'

R topics documented:

An introduction	4
as.IFAGroup	5
bestToOmit	6
ChenThissen1997	7
Class rpf.1dim	9
Class rpf.1dim.drm	10
Class rpf.1dim.gpcmp	10
Class rpf.1dim.graded	10
Class rpf.1dim.grm	10
Class rpf.1dim.grmp	10
Class rpf.1dim.lmp	11
Class rpf.base	11
Class rpf.mdim	11
Class rpf.mdim.drm	11
Class rpf.mdim.graded	11
Class rpf.mdim.grm	12
Class rpf.mdim.mcm	12
Class rpf.mdim.nrm	12

collapseCategoricalCells	12
compressDataFrame	13
crosstabTest	14
EAPscores	14
expandDataFrame	16
fromFactorLoading	16
fromFactorThreshold	17
itemOutcomeBySumScore	17
kct	19
logit	19
LSAT6	20
LSAT7	20
multinomialFit	21
observedSumScore	23
omitItems	24
omitMostMissing	25
orderCompletely	27
ordinal.gamma	27
ptw2011.gof.test	28
read.flexmirt	29
rpf.1dim.fit	30
rpf.1dim.moment	32
rpf.1dim.residual	33
rpf.1dim.stdresidual	34
rpf.dLL	34
rpf.drm	35
rpf.dTheta	36
rpf.gpcmp	37
rpf.grm	38
rpf.grmp	39
rpf.id_of	41
rpf.info	42
rpf.lmp	42
rpf.logprob	44
rpf.mcm	45
rpf.mean.info	46
rpf.mean.info1	46
rpf.modify	47
rpf.nrm	47
rpf.numParam	49
rpf.numSpec	49
rpf.ogive	50
rpf.paramInfo	51
rpf.prob	51
rpf.rescale	52
rpf.rparam	53
rpf.sample	53
science	55

SitemFit	55
SitemFit1	57
stripData	59
sumScoreEAP	61
sumScoreEAPTest	62
tabulateRows	64
toFactorLoading	64
toFactorThreshold	65
write.flexmirt	66

Index	68
--------------	-----------

An introduction	<i>rpf - Response Probability Functions</i>
-----------------	---

Description

Factor out logic and math common to Item Factor Analysis fitting, diagnostics, and analysis. It is envisioned as core support code suitable for more specialized IFA packages to build upon.

Details

This package provides optimized, low-level functions to map parameters to response probabilities for dichotomous (1PL, 2PL and 3PL) `rpf.drm` and polytomous (graded response `rpf.grm`, partial credit/generalized partial credit (via the nominal model), and nominal `rpf.nrm` items.

Item model parameters are passed around as a numeric vector. A 1D matrix is also acceptable. Regardless of model, parameters are always ordered as follows: discrimination/slope ("a"), difficulty/intercept ("b"), and pseudo guessing/upper-bound ("g"/"u"). If person ability ranges from negative to positive then probabilities are output from incorrect to correct. That is, a low ability person (e.g., ability = -2) will be more likely to get an item incorrect than correct. For example, a dichotomous model that returns [.25, .75] indicates a probability of .25 for incorrect and .75 for correct. A polytomous model will have the most incorrect probability at index 1 and the most correct probability at the maximum index.

All models are always in the logistic metric. To obtain normal ogive discrimination parameters, divide slope parameters by `rpf.ogive`. Item models are estimated in slope-intercept form. Input/output matrices arranged in the way most convenient for low-level processing in C. The maximum absolute logit is 35 because $f(x) := 1 - \exp(x)$ loses accuracy around $f(-35)$ and equals 1 at $f(-38)$ due to the limited accuracy of double precision floating point.

This package could also accrete functions to support plotting (but not the actual plot functions).

References

- Pritikin, J. N., Hunter, M. D., & Boker, S. M. (2015). Modular open-source software for Item Factor Analysis. *Educational and Psychological Measurement*, 75(3), 458-474
- Thissen, D. and Steinberg, L. (1986). A taxonomy of item response models. *Psychometrika* 51(4), 567-577.

See Also

See [rpf.rparam](#) to create item parameters.

as.IFAGroup

Convert an OpenMx MxModel object into an IFA group

Description

When “minItemsPerScore” is passed, EAP scores will be computed from the data and stored. Scores are required for some diagnostic tests. See discussion of “minItemsPerScore” in [EAPscores](#).

Usage

```
as.IFAGroup(
  mxModel,
  data = NULL,
  container = NULL,
  ...,
  minItemsPerScore = NULL
)
```

Arguments

mxModel	MxModel object
data	observed data (otherwise the data will be taken from the mxModel)
container	an MxModel in which to search for the latent distribution matrices
...	Not used. Forces remaining arguments to be specified by name.
minItemsPerScore	minimum number of items required to compute a score (also see description)

Value

a groups with item parameters and latent distribution

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The `param` matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in `spec` and order of columns in `param` are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting `rownames`. Item names are assigned by `param` `colnames`.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

[ifaTools](#)

bestToOmit

Identify the columns with most missing data

Description

If a reference column is given then only rows that are not missing on the reference column are considered. Otherwise all rows are considered.

Usage

```
bestToOmit(grp, omit, ref = NULL)
```

Arguments

<code>grp</code>	a list containing the model and data. See the details section.
<code>omit</code>	the maximum number of items to omit
<code>ref</code>	the reference column (optional)

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpnts number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpnts=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other scoring: [EAPscores\(\)](#), [itemOutcomeBySumScore\(\)](#), [observedSumScore\(\)](#), [omitItems\(\)](#), [omitMostMissing\(\)](#), [sumScoreEAP\(\)](#)

Description

Item Factor Analysis makes two assumptions: (1) that the latent distribution is reasonably approximated by the multivariate Normal and (2) that items are conditionally independent. This test examines the second assumption. The presence of locally dependent items can inflate the precision of estimates causing a test to seem more accurate than it really is.

Usage

```
ChenThissen1997(
  grp,
  ...,
  data = NULL,
  inames = NULL,
  qwidth = 6,
  qpoints = 49,
  method = "pearson",
  .twotier = TRUE,
  .parallel = TRUE
)
```

Arguments

<code>grp</code>	a list containing the model and data. See the details section.
<code>...</code>	Not used. Forces remaining arguments to be specified by name.
<code>data</code>	data [Deprecated]
<code>inames</code>	a subset of items to examine
<code>qwidth</code>	[Deprecated]
<code>qpoints</code>	[Deprecated]
<code>method</code>	method to use to calculate P values. The default is the Pearson X^2 statistic. Use "lr" for the similar likelihood ratio statistic.
<code>.twotier</code>	whether to enable the two-tier optimization
<code>.parallel</code>	whether to take advantage of multiple CPUs (default TRUE)

Details

Statically significant entries suggest that the item pair has local dependence. Since $\log(.01)=-4.6$, an absolute magnitude of 5 is a reasonable cut-off. Positive entries indicate that the two item residuals are more correlated than expected. These items may share an unaccounted for latent dimension. Consider a redesign of the items or the use of testlets for scoring. Negative entries indicate that the two item residuals are less correlated than expected.

Value

a list with raw, pval and detail. The pval matrix is a lower triangular matrix of log P values with the sign determined by relative association between the observed and expected tables (see [ordinal.gamma](#))

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)
mean numeric vector giving the mean of the latent distribution
cov numeric matrix giving the covariance of the latent distribution
data data.frame containing observed item responses, and optionally, weights and frequencies
score factors scores with response patterns in rows
weightColumn name of the data column containing the numeric row weights (optional)
freqColumn name of the data column containing the integral row frequencies (optional)
qwidth width of the quadrature expressed in Z units
qpoints number of quadrature points
minItemsPerScore minimum number of non-missing items when estimating factor scores

The `param` matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in `spec` and order of columns in `param` are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting `rownames`. Item names are assigned by `param` `colnames`.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

References

- Chen, W.-H. & Thissen, D. (1997). Local dependence indexes for item pairs using Item Response Theory. *Journal of Educational and Behavioral Statistics*, 22(3), 265-289.
- Thissen, D., Steinberg, L., & Mooney, J. A. (1989). Trace lines for testlets: A use of multiple-categorical-response models. *Journal of Educational Measurement*, 26 (3), 247–260.
- Wainer, H. & Kiely, G. L. (1987). Item clusters and computerized adaptive testing: A case for testlets. *Journal of Educational measurement*, 24(3), 185–201.

See Also

[ifaTools](#)

Other diagnostic: [SitemFit1\(\)](#), [SitemFit\(\)](#), [multinomialFit\(\)](#), [rpf.1dim.fit\(\)](#), [sumScoreEAPTest\(\)](#)

Class `rpf.1dim`

The base class for 1 dimensional response probability functions.

Description

The base class for 1 dimensional response probability functions.

Class *rpf.1dim.drm* *Unidimensional dichotomous item models (1PL, 2PL, and 3PL).*

Description

Unidimensional dichotomous item models (1PL, 2PL, and 3PL).

Class *rpf.1dim.gpcmp* *Unidimensional generalized partial credit monotonic polynomial.*

Description

Unidimensional generalized partial credit monotonic polynomial.

Class *rpf.1dim.graded* *The base class for 1 dimensional graded response probability functions.*

Description

This class contains methods common to both the generalized partial credit model and the graded response model.

Class *rpf.1dim.grm* *The unidimensional graded response item model.*

Description

The unidimensional graded response item model.

Class *rpf.1dim.grmp* *Unidimensional graded response monotonic polynomial.*

Description

Unidimensional graded response monotonic polynomial.

Class *rpf.1dim.lmp* *Unidimensional logistic function of a monotonic polynomial.*

Description

Unidimensional logistic function of a monotonic polynomial.

Class *rpf.base* *The base class for response probability functions.*

Description

Item specifications should not be modified after creation.

Class *rpf.mdim* *The base class for multi-dimensional response probability functions.*

Description

The base class for multi-dimensional response probability functions.

Class *rpf.mdim.drm* *Multidimensional dichotomous item models (M1PL, M2PL, and M3PL).*

Description

Multidimensional dichotomous item models (M1PL, M2PL, and M3PL).

Class *rpf.mdim.graded* *The base class for multi-dimensional graded response probability functions.*

Description

This class contains methods common to both the generalized partial credit model and the graded response model.

Class rpf.mdim.grm *The multidimensional graded response item model.*

Description

The multidimensional graded response item model.

Class rpf.mdim.mcm *The multiple-choice response item model (both unidimensional and multidimensional models have the same parameterization).*

Description

The multiple-choice response item model (both unidimensional and multidimensional models have the same parameterization).

Class rpf.mdim.nrm *The nominal response item model (both unidimensional and multidimensional models have the same parameterization).*

Description

The nominal response item model (both unidimensional and multidimensional models have the same parameterization).

collapseCategoricalCells
 Collapse small sample size categorical frequency counts

Description

Collapse small sample size categorical frequency counts

Usage

collapseCategoricalCells(observed, expected, minExpected = 1)

Arguments

observed	the observed frequency table
expected	the expected frequency table
minExpected	the minimum expected cell frequency

Pearson's X^2 test requires some minimum frequency per cell to avoid an inflated false positive rate. This function will merge cells with the lowest frequency counts until all the counts are above the minimum threshold. Cells that have been merged are filled with NAs. The resulting tables and number of merged cells is returned.

Examples

```
O = matrix(c(7,31,42,20,0), 1,5)
E = matrix(c(3,39,50,8,0), 1,5)
collapseCategoricalCells(O,E,9)
```

compressDataFrame	<i>Compress a data frame into unique rows and frequencies</i>
-------------------	---

Description

Compress a data frame into unique rows and frequency counts.

Usage

```
compressDataFrame(tabdata, freqColName = "freq", .asNumeric = FALSE)
```

Arguments

tabdata	An object of class <code>data.frame</code>
freqColName	Column name to contain the frequencies
.asNumeric	logical. Whether to cast the frequencies to the numeric type

Value

Returns a compressed data frame

Examples

```
df <- as.data.frame(matrix(c(sample.int(2, 30, replace=TRUE)), 10, 3))
compressDataFrame(df)
```

crosstabTest	<i>Monte-Carlo test for cross-tabulation tables</i>
--------------	---

Description

[Experimental] This is for developers.

Usage

```
crosstabTest(ob, ex, trials)
```

Arguments

ob	observed table
ex	expected table
trials	number of Monte-Carlo trials

EAPscores	<i>Compute Expected A Posteriori (EAP) scores</i>
-----------	---

Description

If you have missing data then you must specify `minItemsPerScore`. This option will set scores to NA when there are too few items to make an accurate score estimate. If you are using the scores as point estimates without considering the standard error then you should set `minItemsPerScore` as high as you can tolerate. This will increase the amount of missing data but scores will be more accurate. If you are carefully considering the standard errors of the scores then you can set `minItemsPerScore` to 1. This will mimic the behavior of most other IFA software wherein scores are estimated if there is at least 1 non-NA item for the score. However, it may make more sense to set `minItemsPerScore` to 0. When set to 0, all NA rows are scored to the prior distribution.

Usage

```
EAPscores(grp, ..., compressed = FALSE)
```

Arguments

grp	a list containing the model and data. See the details section.
...	Not used. Forces remaining arguments to be specified by name.
compressed	output one score per observed data row even when <code>freqColumn</code> is set (default FALSE)

Details

Output is not affected by the presence of a `weightColumn`.

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other scoring: [bestToOmit\(\)](#), [itemOutcomeBySumScore\(\)](#), [observedSumScore\(\)](#), [omitItems\(\)](#), [omitMostMissing\(\)](#), [sumScoreEAP\(\)](#)

Examples

```
spec <- list()
spec[1:3] <- list(rpf.grm(outcomes=3))
param <- sapply(spec, rpf.rparam)
data <- rpf.sample(5, spec, param)
colnames(param) <- colnames(data)
grp <- list(spec=spec, param=param, data=data, minItemsPerScore=1L)
EAPscores(grp)
```

expandDataFrame	<i>Expand summary table of patterns and frequencies</i>
-----------------	---

Description

Expand a summary table of unique response patterns to a full sized data-set.

Usage

```
expandDataFrame(tabdata, freqName = NULL)
```

Arguments

tabdata	An object of class <code>data.frame</code> with the unique response patterns and the number of frequencies
freqName	Column name containing the frequencies

Value

Returns a data frame with all the response patterns

Author(s)

Based on code by Phil Chalmers <rphilip.chalmers@gmail.com>

Examples

```
data(LSAT7)
expandDataFrame(LSAT7, freqName="freq")
```

fromFactorLoading	<i>Convert factor loadings to response function slopes</i>
-------------------	--

Description

Convert factor loadings to response function slopes

Usage

```
fromFactorLoading/loading, ogive = rpf.ogive)
```

Arguments

loading	a matrix with items in the rows and factors in the columns
ogive	the ogive constant (default rpf.ogive)

Value

a slope matrix with items in the columns and factors in the rows

See Also

Other factor model equivalence: [fromFactorThreshold\(\)](#), [toFactorLoading\(\)](#), [toFactorThreshold\(\)](#)

fromFactorThreshold *Convert factor thresholds to response function intercepts*

Description

Convert factor thresholds to response function intercepts

Usage

```
fromFactorThreshold(threshold, loading, ogive = rpf.ogive)
```

Arguments

threshold	a matrix with items in the columns and thresholds in the rows
loading	a matrix with items in the rows and factors in the columns
ogive	the ogive constant (default rpf.ogive)

Value

an item intercept matrix with items in the columns and intercepts in the rows

See Also

Other factor model equivalence: [fromFactorLoading\(\)](#), [toFactorLoading\(\)](#), [toFactorThreshold\(\)](#)

itemOutcomeBySumScore *Produce an item outcome by observed sum-score table*

Description

Produce an item outcome by observed sum-score table

Usage

```
itemOutcomeBySumScore(grp, mask, interest)
```

Arguments

<code>grp</code>	a list containing the model and data. See the details section.
<code>mask</code>	a vector of logicals indicating which items to include
<code>interest</code>	index or name of the item of interest

Format of a group

A model, or group within a model, is represented as a named list.

spec	list of response model objects
param	numeric matrix of item parameters
free	logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)
mean	numeric vector giving the mean of the latent distribution
cov	numeric matrix giving the covariance of the latent distribution
data	data.frame containing observed item responses, and optionally, weights and frequencies
score	factors scores with response patterns in rows
weightColumn	name of the data column containing the numeric row weights (optional)
freqColumn	name of the data column containing the integral row frequencies (optional)
qwidth	width of the quadrature expressed in Z units
qpoints	number of quadrature points
minItemsPerScore	minimum number of non-missing items when estimating factor scores

The `param` matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in `spec` and order of columns in `param` are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting `rownames`. Item names are assigned by `param` `colnames`.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other scoring: [EAPscores\(\)](#), [bestToOmit\(\)](#), [observedSumScore\(\)](#), [omitItems\(\)](#), [omitMostMissing\(\)](#), [sumScoreEAP\(\)](#)

Examples

```
set.seed(1)
spec <- list()
spec[1:3] <- rpf.grm(outcomes=3)
param <- sapply(spec, rpf.rparam)
```

```
data <- rpf.sample(5, spec, param)
colnames(param) <- colnames(data)
grp <- list(spec=spec, param=param, data=data)
itemOutcomeBySumScore(grp, c(FALSE,TRUE,TRUE), 1L)
```

kct

*Knox Cube Test dataset***Description**

These data from Wright & Stone (1979, p. 31) were fit with Winsteps 3.73 using a 1PL model (slope fixed to 1).

References

Wright, B. D. & Stone, M. H. (1979). *Best Test Design: Rasch Measurement*. Univ of Chicago Social Research.

Examples

```
data(kct)
```

logit

*Transform from [0,1] to the reals***Description**

The logit function is a standard transformation from [0,1] (such as a probability) to the real number line. This function is exactly the same as qlogis.

Usage

```
logit(p, location = 0, scale = 1, lower.tail = TRUE, log.p = FALSE)
```

Arguments

p	a number between 0 and 1
location	see qlogis
scale	see qlogis
lower.tail	see qlogis
log.p	see qlogis

See Also

qlogis, plogis

Examples

```
logit(.5) # 0
logit(.25) # -1.098
logit(0) # -Inf
```

LSAT6

Description of LSAT6 data

Description

Data from Thissen (1982); contains 5 dichotomously scored items obtained from the Law School Admissions Test, section 6.

Author(s)

Phil Chalmers <rphilip.chalmers@gmail.com>

References

Thissen, D. (1982). Marginal maximum likelihood estimation for the one-parameter logistic model. *Psychometrika*, 47, 175-186.

Examples

```
data(LSAT6)
```

LSAT7

Description of LSAT7 data

Description

Data from Bock & Lieberman (1970); contains 5 dichotomously scored items obtained from the Law School Admissions Test, section 7.

Author(s)

Phil Chalmers <rphilip.chalmers@gmail.com>

References

Bock, R. D., & Lieberman, M. (1970). Fitting a response model for n dichotomously scored items. *Psychometrika*, 35(2), 179-197.

Examples

```
data(LSAT7)
```

multinomialFit	<i>Multinomial fit test</i>
----------------	-----------------------------

Description

For degrees of freedom, we use the number of observed statistics (incorrect) instead of the number of possible response patterns (correct) (see Bock, Gibbons, & Muraki, 1998, p. 265). This is not a huge problem because this test is becomes poorly calibrated when the multinomial table is sparse. For more accurate p-values, you can conduct a Monte-Carlo simulation study (see examples).

Usage

```
multinomialFit(
  grp,
  independenceGrp,
  ...,
  method = "lr",
  log = TRUE,
  .twotier = TRUE
)
```

Arguments

grp	a list containing the model and data. See the details section.
independenceGrp	the independence group
...	Not used. Forces remaining arguments to be specified by name.
method	lr (default) or pearson
log	whether to report p-value in log units
.twotier	whether to use the two-tier optimization (default TRUE)

Details

Rows with missing data are ignored.

The full information test is described in Bartholomew & Tzamourani (1999, Section 3).

For CFI and TLI, you must provide an independenceGrp.

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution
data data.frame containing observed item responses, and optionally, weights and frequencies
score factors scores with response patterns in rows
weightColumn name of the data column containing the numeric row weights (optional)
freqColumn name of the data column containing the integral row frequencies (optional)
qwidth width of the quadrature expressed in Z units
qpoints number of quadrature points
minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

References

Bartholomew, D. J., & Tzamourani, P. (1999). The goodness-of-fit of latent trait models in attitude measurement. *Sociological Methods and Research*, 27(4), 525-546.

Bock, R. D., Gibbons, R., & Muraki, E. (1988). Full-information item factor analysis. *Applied Psychological Measurement*, 12(3), 261-280.

See Also

Other diagnostic: [ChenThissen1997\(\)](#), [SitemFit1\(\)](#), [SitemFit\(\)](#), [rpf.1dim.fit\(\)](#), [sumScoreEAPTest\(\)](#)

Examples

```
# Create an example IFA group
grp <- list(spec=list())
grp$spec[1:10] <- rpf.grm()
grp$param <- sapply(grp$spec, rpf.rparam)
colnames(grp$param) <- paste("i", 1:10, sep="")
grp$mean <- 0
grp$cov <- diag(1)
grp$uniqueFree <- sum(grp$param != 0)
grp$data <- rpf.sample(1000, grp=grp)

# Monte-Carlo simulation study
mcReps <- 3 # increase this to 10,000 or so
stat <- rep(NA, mcReps)
for (rx in 1:mcReps) {
```

```

t1 <- grp
t1$data <- rpf.sample(grp=grp)
stat[rx] <- multinomialFit(t1)$statistic
}
sum(multinomialFit(grp)$statistic > stat)/mcReps # better p-value

```

observedSumScore *Compute the observed sum-score*

Description

When summary=TRUE, tabulation uses row frequency multiplied by row weight.

Usage

```
observedSumScore(grp, ..., mask, summary = TRUE)
```

Arguments

grp	a list containing the model and data. See the details section.
...	Not used. Forces remaining arguments to be specified by name.
mask	a vector of logicals indicating which items to include
summary	whether to return a summary (default) or per-row scores

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other scoring: [EAPscores\(\)](#), [bestToOmit\(\)](#), [itemOutcomeBySumScore\(\)](#), [omitItems\(\)](#), [omitMostMissing\(\)](#), [sumScoreEAP\(\)](#)

Examples

```
spec <- list()
spec[1:3] <- rpf.grm(outcomes=3)
param <- sapply(spec, rpf.rparam)
data <- rpf.sample(5, spec, param)
colnames(param) <- colnames(data)
grp <- list(spec=spec, param=param, data=data)
observedSumScore(grp)
```

omitItems

Omit the given items

Description

Omit the given items

Usage

```
omitItems(grp, excol)
```

Arguments

grp a list containing the model and data. See the details section.
excol vector of column names to omit

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other scoring: [EAPscores\(\)](#), [bestToOmit\(\)](#), [itemOutcomeBySumScore\(\)](#), [observedSumScore\(\)](#), [omitMostMissing\(\)](#), [sumScoreEAP\(\)](#)

omitMostMissing

Omit items with the most missing data

Description

Items with no missing data are never omitted, regardless of the number of items requested.

Usage

```
omitMostMissing(grp, omit)
```

Arguments

<code>grp</code>	a list containing the model and data. See the details section.
<code>omit</code>	the maximum number of items to omit

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The `param` matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in `spec` and order of columns in `param` are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting `rownames`. Item names are assigned by `param colnames`.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other scoring: [EAPscores\(\)](#), [bestToOmit\(\)](#), [itemOutcomeBySumScore\(\)](#), [observedSumScore\(\)](#), [omitItems\(\)](#), [sumScoreEAP\(\)](#)

orderCompletely	<i>Order a data.frame by missingness and all columns</i>
-----------------	--

Description

Completely order all rows in a data.frame.

Usage

```
orderCompletely(observed)
```

Arguments

observed a data.frame holding ordered factors in every column

Value

the sorted order of the rows

Examples

```
df <- as.data.frame(matrix(c(sample.int(2, 30, replace=TRUE)), 10, 3))
mask <- matrix(c(sample.int(3, 30, replace=TRUE)), 10, 3) == 1
df[mask] <- NA
df[orderCompletely(df),]
```

ordinal.gamma	<i>Compute the ordinal gamma association statistic</i>
---------------	--

Description

Compute the ordinal gamma association statistic

Usage

```
ordinal.gamma(mat)
```

Arguments

mat a cross tabulation matrix

References

Agresti, A. (1990). Categorical data analysis. New York: Wiley.

Examples

```
# Example data from Agresti (1990, p. 21)
jobsat <- matrix(c(20,22,13,7,24,38,28,18,80,104,81,54,82,125,113,92), nrow=4, ncol=4)
ordinal.gamma(jobsat)
```

ptw2011.gof.test	<i>Compute the P value that the observed and expected tables come from the same distribution</i>
------------------	--

Description

[Experimental] This test is an alternative to Pearson's X^2 goodness-of-fit test. In contrast to Pearson's X^2 , no ad hoc cell collapsing is needed to avoid an inflated false positive rate in situations of sparse cell frequencies. The statistic rapidly converges to the Monte-Carlo estimate as the number of draws increases.

Usage

```
ptw2011.gof.test(observed, expected)
```

Arguments

observed	observed matrix
expected	expected matrix

Value

The P value indicating whether the two tables come from the same distribution. For example, a significant result ($P < \alpha$ level) rejects the hypothesis that the two matrices are from the same distribution.

References

Perkins, W., Tygert, M., & Ward, R. (2011). Computing the confidence levels for a root-mean-square test of goodness-of-fit. *Applied Mathematics and Computations*, 217(22), 9072-9084.

Examples

```
draws <- 17
observed <- matrix(c(.294, .176, .118, .411), nrow=2) * draws
expected <- matrix(c(.235, .235, .176, .353), nrow=2) * draws
ptw2011.gof.test(observed, expected) # not significant
```

read.flexmirt	<i>Read a flexMIRT PRM file</i>
---------------	---------------------------------

Description

[Experimental] This was last updated in 2017 and may no longer work.

Usage

```
read.flexmirt(fname)
```

Arguments

fname	file name
-------	-----------

Details

Load the item parameters from a flexMIRT PRM file.

Value

a list of groups as described in the details

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

rpf.1dim.fit

Calculate item and person Rasch fit statistics

Description

Note: These statistics are only appropriate if all discrimination parameters are fixed equal and items are conditionally independent (see [ChenThissen1997](#)). A best effort is made to cope with missing data.

Usage

```
rpf.1dim.fit(
  spec,
  params,
  responses,
  scores,
  margin,
  group = NULL,
  wh.exact = TRUE
)
```

Arguments

<code>spec</code>	list of item response models [Deprecated]
<code>params</code>	matrix of item parameters, 1 per column [Deprecated]
<code>responses</code>	persons in rows and items in columns [Deprecated]
<code>scores</code>	model derived person scores [Deprecated]
<code>margin</code>	for people 1, for items 2
<code>group</code>	<code>spec</code> , <code>params</code> , <code>data</code> , and <code>scores</code> can be provided in a list instead of as arguments
<code>wh.exact</code>	whether to use the exact Wilson-Hilferty transformation

Details

Exact distributional properties of these statistics are unknown (Masters & Wright, 1997, p. 112). For details on the calculation, refer to Wright & Masters (1982, p. 100).

The Wilson-Hilferty transformation is biased for less than 25 items. Consider `wh.exact=FALSE` for less than 25 items.

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

References

- Masters, G. N. & Wright, B. D. (1997). The Partial Credit Model. In W. van der Linden & R. K. Kambleton (Eds.), *Handbook of modern item response theory* (pp. 101-121). Springer.
- Wilson, E. B., & Hilferty, M. M. (1931). The distribution of chi-square. *Proceedings of the National Academy of Sciences of the United States of America*, 17, 684-688.
- Wright, B. D. & Masters, G. N. (1982). *Rating Scale Analysis*. Chicago: Mesa Press.

See Also

Other diagnostic: [ChenThissen1997\(\)](#), [SitemFit1\(\)](#), [SitemFit\(\)](#), [multinomialFit\(\)](#), [sumScoreEAPTest\(\)](#)

Examples

```
data(kct)
responses <- kct.people[,paste("V",2:19, sep="")]
rownames(responses) <- kct.people$NAME
colnames(responses) <- kct.items$NAME
scores <- kct.people$MEASURE
params <- cbind(1, kct.items$MEASURE, logit(0), logit(1))
rownames(params) <- kct.items$NAME
items<-list()
items[1:18] <- rpf.drm()
params[,2] <- -params[,2]
rpf.1dim.fit(items, t(params), responses, scores, 2, wh.exact=TRUE)
```

rpf.1dim.moment

Calculate cell central moments

Description

Popular central moments include 2 (variance) and 4 (kurtosis).

Usage

```
rpf.1dim.moment(spec, params, scores, m)
```


Arguments

spec	list of item models
params	data frame of item parameters, 1 per row
scores	model derived person scores
m	which moment

Value

moment matrix

rpf.1dim.residual *Calculate residuals*

Description

Calculate residuals

Usage

```
rpf.1dim.residual(spec, params, responses, scores)
```

Arguments

spec	list of item models
params	data frame of item parameters, 1 per row
responses	persons in rows and items in columns
scores	model derived person scores

Value

residuals

rpf.1dim.stdresidual *Calculate standardized residuals*

Description

Calculate standardized residuals

Usage

```
rpf.1dim.stdresidual(spec, params, responses, scores)
```

Arguments

spec	list of item models
params	data frame of item parameters, 1 per row
responses	persons in rows and items in columns
scores	model derived person scores

Value

standardized residuals

rpf.dLL *Item parameter derivatives*

Description

Evaluate the partial derivatives of the log likelihood with respect to each parameter at where with weight.

Usage

```
rpf.dLL(m, param, where, weight)
```

Arguments

m	item model
param	item parameters
where	location in the latent space
weight	per outcome weights (typically derived by observation)

Details

It is not easy to write an example for this function. To evaluate the derivative, you need to sum the derivatives across a quadrature. You also need response outcome weights at each quadrature point. It is not anticipated that this function will be often used in R code. It's mainly to expose a C-level function for occasional debugging.

Value

first and second order partial derivatives of the log likelihood evaluated at where. For p parameters, the first p values are the first derivative and the next $p(p+1)/2$ columns are the lower triangle of the second derivative.

See Also

The numDeriv package.

 rpf.drm

Create a dichotomous response model

Description

For slope vector a , intercept c , pseudo-guessing parameter g , upper bound u , and latent ability vector θ , the response probability function is

$$P(\text{pick} = 0|a, c, g, u, \theta) = 1 - P(\text{pick} = 1|a, c, g, u, \theta)$$

$$P(\text{pick} = 1|a, c, g, u, \theta) = g + (u - g) \frac{1}{1 + \exp(-(a\theta + c))}$$

Usage

```
rpf.drm(factors = 1, multidimensional = TRUE, poor = FALSE)
```

Arguments

factors	the number of factors
multidimensional	whether to use a multidimensional model. Defaults to TRUE.
poor	if TRUE, use the traditional parameterization of the 1d model instead of the slope-intercept parameterization

Details

The pseudo-guessing and upper bound parameter are specified in logit units (see [logit](#)).

For discussion on the choice of priors see Cai, Yang, and Hansen (2011, p. 246).

Value

an item model

References

Cai, L., Yang, J. S., & Hansen, M. (2011). Generalized Full-Information Item Bifactor Analysis. *Psychological Methods, 16*(3), 221-248.

See Also

Other response model: [rpf.gpcmp\(\)](#), [rpf.grmp\(\)](#), [rpf.grm\(\)](#), [rpf.lmp\(\)](#), [rpf.mcm\(\)](#), [rpf.nrm\(\)](#)

Examples

```
spec <- rpf.drm()
rpf.prob(spec, rpf.rparam(spec), 0)
```

rpf.dTheta

Item derivatives with respect to the location in the latent space

Description

Evaluate the partial derivatives of the response probability with respect to ability. See [rpf.info](#) for an application.

Usage

```
rpf.dTheta(m, param, where, dir)
```

Arguments

m	item model
param	item parameters
where	location in the latent distribution
dir	if more than 1 factor, a basis vector

rpf.gpcmp	Create monotonic polynomial generalized partial credit (GPC-MP) model
-----------	---

Description

This model is a polytomous model proposed by Falk & Cai (2016) and is based on the generalized partial credit model (Muraki, 1992).

Usage

```
rpf.gpcmp(outcomes = 2, q = 0, multidimensional = FALSE)
```

Arguments

outcomes	The number of possible response categories.
q	a non-negative integer that controls the order of the polynomial (2q+1) with a default of q=0 (1st order polynomial = generalized partial credit model).
multidimensional	whether to use a multidimensional model. Defaults to FALSE. The multidimensional version is not yet available.

Details

The GPC-MP replaces the linear predictor part of the generalized partial credit model with a monotonic polynomial, $m(\theta; \omega, \xi, \alpha, \tau)$. The response function for category k is:

$$P(\text{pick} = k | \omega, \xi, \alpha, \tau, \theta) = \frac{\exp(\sum_{v=0}^k (\xi_k + m(\theta; \omega, \xi, \alpha, \tau)))}{\sum_{u=0}^{K-1} \exp(\sum_{v=0}^u (\xi_u + m(\theta; \omega, \xi, \alpha, \tau)))}$$

where α and τ are vectors of length q. The GPC-MP uses the same parameterization for the polynomial as described for the logistic function of a monotonic polynomial (LMP). See also ([rpf.lmp](#)).

The order of the polynomial is always odd and is controlled by the user specified non-negative integer, q. The model contains $1+(\text{outcomes}-1)+2*q$ parameters and are used as input to the [rpf.prob](#) function in the following order: ω - natural log of the slope of the item model when $q=0$, ξ - a (outcomes-1)-length vector of intercept parameters, α and τ - two parameters that control bends in the polynomial. These latter parameters are repeated in the same order for models with $q>0$. For example, a $q=2$ polynomial with 3 categories will have an item parameter vector of: $\omega, \xi_1, \xi_2, \alpha_1, \tau_1, \alpha_2, \tau_2$.

Note that the GPC-MP reduces to the LMP when the number of categories is 2, and the GPC-MP reduces to the generalized partial credit model when the order of the polynomial is 1 (i.e., $q=0$).

Value

an item model

References

Falk, C. F., & Cai, L. (2016). Maximum marginal likelihood estimation of a monotonic polynomial generalized partial credit model with applications to multiple group analysis. *Psychometrika*, *81*, 434-460. doi:10.1007/s1133601494287

Muraki, E. (1992). A generalized partial credit model: Application of an EM algorithm. *Applied Psychological Measurement*, *16*, 159-176.

See Also

Other response model: `rpf.drm()`, `rpf.grmp()`, `rpf.grm()`, `rpf.lmp()`, `rpf.mcm()`, `rpf.nrm()`

Examples

```
spec <- rpf.gpcmp(5,2) # 5-category, 3rd order polynomial
theta<-seq(-3,3,.1)
p<-rpf.prob(spec, c(1.02,3.48,2.5,-.25,-1.64,.89,-8.7,-.74,-8.99),theta)
```

rpf.grm

Create a graded response model

Description

For outcomes k in 0 to K , slope vector a , intercept vector c , and latent ability vector θ , the response probability function is

$$P(\text{pick} = 0|a, c, \theta) = 1 - P(\text{pick} = 1|a, c_1, \theta)$$

$$P(\text{pick} = k|a, c, \theta) = \frac{1}{1 + \exp(-(a\theta + c_k))} - \frac{1}{1 + \exp(-(a\theta + c_{k+1}))}$$

$$P(\text{pick} = K|a, c, \theta) = \frac{1}{1 + \exp(-(a\theta + c_K))}$$

Usage

```
rpf.grm(outcomes = 2, factors = 1, multidimensional = TRUE)
```

Arguments

`outcomes` The number of choices available
`factors` the number of factors
`multidimensional` whether to use a multidimensional model. Defaults to TRUE.

Details

The graded response model was designed for a item with a series of dependent parts where a higher score implies that easier parts of the item were surmounted. If there is any chance your polytomous item has independent parts then consider [rpf.nrm](#). If your categories cannot cross then the graded response model provides a little more information than the nominal model. Stronger a priori assumptions offer provide more power at the cost of flexibility.

Value

an item model

See Also

Other response model: [rpf.drm\(\)](#), [rpf.gpcmp\(\)](#), [rpf.grmp\(\)](#), [rpf.lmp\(\)](#), [rpf.mcm\(\)](#), [rpf.nrm\(\)](#)

Examples

```
spec <- rpf.grm()
rpf.prob(spec, rpf.rparam(spec), 0)
```

rpf.grmp

Create monotonic polynomial graded response (GR-MP) model

Description

The GR-MP model replaces the linear predictor of the graded response model (Samejima, 1969, 1972) with a monotonic polynomial (Falk, conditionally accepted).

Usage

```
rpf.grmp(outcomes = 2, q = 0, multidimensional = FALSE)
```

Arguments

outcomes	The number of possible response categories. When equal to 2, the model reduces to the logistic function of a monotonic polynomial (LMP).
q	a non-negative integer that controls the order of the polynomial (2q+1) with a default of q=0 (1st order polynomial = graded response model).
multidimensional	whether to use a multidimensional model. Defaults to FALSE. The multidimensional version is not yet available.

Details

Given its relationship to the graded response model, the GR-MP is constructed in an analogous way:

$$P(\text{pick} = 0 | \lambda, \alpha, \tau, \theta) = 1 - \frac{1}{1 + \exp(-(\xi_1 + m(\theta; \lambda, \alpha, \tau)))}$$

$$P(\text{pick} = k | \lambda, \alpha, \tau, \theta) = \frac{1}{1 + \exp(-(\xi_k + m(\theta; \lambda, \alpha, \tau)))} - \frac{1}{1 + \exp(-(\xi_{k+1} + m(\theta; \lambda, \alpha, \tau)))}$$

$$P(\text{pick} = K | \lambda, \alpha, \tau, \theta) = \frac{1}{1 + \exp(-(\xi_K + m(\theta; \lambda, \alpha, \tau)))}$$

The order of the polynomial is always odd and is controlled by the user specified non-negative integer, q . The model contains $1 + (\text{outcomes} - 1) + 2 * q$ parameters and are used as input to the [rpf.prob](#) or [rpf.dTheta](#) functions in the following order: λ - slope of the item model when $q=0$, ξ - a $(\text{outcomes} - 1)$ -length vector of intercept parameters, α and τ - two parameters that control bends in the polynomial. These latter parameters are repeated in the same order for models with $q > 0$. For example, a $q=2$ polynomial with 3 categories will have an item parameter vector of: $\lambda, \xi_1, \xi_2, \alpha_1, \tau_1, \alpha_2, \tau_2$.

As with other monotonic polynomial-based item models (e.g., [rpf.lmp](#)), the polynomial looks like the following:

$$m(\theta; \lambda, \alpha, \tau) = b_1\theta + b_2\theta^2 + \dots + b_{2q+1}\theta^{2q+1}$$

However, the coefficients, b , are not directly estimated, but are a function of the item parameters, and the parameterization of the GR-MP is different than that currently appearing for the logistic function of a monotonic polynomial (LMP; [rpf.lmp](#)) and monotonic polynomial generalized partial credit (GPC-MP; [rpf.gpcmp](#)) models. In particular, the polynomial is parameterized such that boundary discrimination functions for the GR-MP will be all monotonically increasing or decreasing for any given item. This allows the possibility of items that load either negatively or positively on the latent trait, as is common with reverse-worded items in non-cognitive tests (e.g., personality).

The derivative $m'(\theta; \lambda, \alpha, \tau)$ is parameterized in the following way:

$$m'(\theta; \lambda, \alpha, \tau) = \begin{cases} \lambda \prod_{u=1}^q (1 - 2\alpha_u\theta + (\alpha_u^2 + \exp(\tau_u))\theta^2) & \text{if } q > 0 \\ \lambda & \text{if } q = 0 \end{cases}$$

Note that the only difference between the GR-MP and these other models is that λ is not re-parameterized and may take on negative values. When λ is negative, it is analogous to having a negative loading or a monotonically decreasing function.

Value

an item model

References

Falk, C. F. (conditionally accepted). The monotonic polynomial graded response model: Implementation and a comparative study. *Applied Psychological Measurement*.

Samejima, F. (1969). Estimation of latent ability using a response pattern of graded scores. *Psychometric Monographs*, 17.

Samejima, F. (1972). A general model of free-response data. *Psychometric Monographs*, 18.

See Also

Other response model: [rpf.drm\(\)](#), [rpf.gpcmp\(\)](#), [rpf.grm\(\)](#), [rpf.lmp\(\)](#), [rpf.mcm\(\)](#), [rpf.nrm\(\)](#)

Examples

```
spec <- rpf.grmp(5,2) # 5-category, 3rd order polynomial
theta<-seq(-3,3,.1)
p<-rpf.prob(spec, c(2.77,2,1,0,-1,.89,-8.7,-.74,-8.99),theta)
```

rpf.id_of

Convert an rpf item model name to an ID

Description

This is an internal function and should not be used.

Usage

```
rpf.id_of(name)
```

Arguments

name name of the item model (string)

Value

the integer ID assigned to the given model

rpf.info	<i>Map an item model, item parameters, and person trait score into a information vector</i>
----------	---

Description

Map an item model, item parameters, and person trait score into a information vector

Usage

```
rpf.info(ii, ii.p, where, basis = 1)
```

Arguments

ii	an item model
ii.p	item parameters
where	the location in the latent distribution
basis	if more than 1 factor, a positive basis vector

Value

Fisher information

References

Dodd, B. G., De Ayala, R. J. & Koch, W. R. (1995). Computerized adaptive testing with polytomous items. *Applied psychological measurement* 19(1), 5-22.

Examples

```
i1 <- rpf.drm()
i1.p <- c(.6,1,.1,.95)
theta <- seq(0,3,.05)
plot(theta, rpf.info(i1, i1.p, t(theta)), type="l")
```

rpf.lmp	<i>Create logistic function of a monotonic polynomial (LMP) model</i>
---------	---

Description

This model is a dichotomous response model originally proposed by Liang (2007) and is implemented using the parameterization by Falk & Cai (2016).

Usage

```
rpf.lmp(q = 0, multidimensional = FALSE)
```

Arguments

- `q` a non-negative integer that controls the order of the polynomial ($2q+1$) with a default of $q=0$ (1st order polynomial = 2PL).
- `multidimensional` whether to use a multidimensional model. Defaults to FALSE. The multidimensional version is not yet available.

Details

The LMP model replaces the linear predictor part of the two-parameter logistic function with a monotonic polynomial, $m(\theta, \omega, \xi, \alpha, \tau)$,

$$P(\text{pick} = 1 | \omega, \xi, \alpha, \tau, \theta) = \frac{1}{1 + \exp(-(\xi + m(\theta; \omega, \alpha, \tau)))}$$

where α and τ are vectors of length q .

The order of the polynomial is always odd and is controlled by the user specified non-negative integer, q . The model contains $2+2*q$ parameters and are used in conjunction with the `rpf.prob` or `rpf.dTheta` function in the following order: ω - the natural log of the slope of the item model when $q=0$, ξ - the intercept, α and τ - two parameters that control bends in the polynomial. These latter parameters are repeated in the same order for models with $q>0$. For example, a $q=2$ polynomial will have an item parameter vector of: $\omega, \xi, \alpha_1, \tau_1, \alpha_2, \tau_2$.

In general, the polynomial looks like the following:

$$m(\theta; \omega, \alpha, \tau) = b_1\theta + b_2\theta^2 + \dots + b_{2q+1}\theta^{2q+1}$$

However, the coefficients, b , are not directly estimated, but are a function of the item parameters. In particular, the derivative $m'(\theta; \omega, \alpha, \tau)$ is parameterized in the following way:

$$m'(\theta; \omega, \alpha, \tau) = \begin{cases} \exp(\omega) \prod_{u=1}^q (1 - 2\alpha_u\theta + (\alpha_u^2 + \exp(\tau_u))\theta^2) & \text{if } q > 0 \\ \exp(\omega) & \text{if } q = 0 \end{cases}$$

See Falk & Cai (2016) for more details as to how the polynomial is constructed. At the lowest order polynomial ($q=0$) the model reduces to the two-parameter logistic (2PL) model. However, parameterization of the slope parameter, ω , is currently different than the 2PL (i.e., slope = $\exp(\omega)$). This parameterization ensures that the response function is always monotonically increasing without requiring constrained optimization.

For an alternative parameterization that releases constraints on ω , allowing for monotonically decreasing functions, see `rpf.grmp`. And for polytomous items, see both `rpf.grmp` and `rpf.gpcmp`.

Value

an item model

References

Falk, C. F., & Cai, L. (2016). Maximum marginal likelihood estimation of a monotonic polynomial generalized partial credit model with applications to multiple group analysis. *Psychometrika*, *81*, 434-460. doi:10.1007/s1133601494287

Liang (2007). *A semi-parametric approach to estimating item response functions*. Unpublished doctoral dissertation, Department of Psychology, The Ohio State University.

See Also

Other response model: `rpf.drm()`, `rpf.gpcmp()`, `rpf.grmp()`, `rpf.grm()`, `rpf.mcm()`, `rpf.nrm()`

Examples

```
spec <- rpf.lmp(1) # 3rd order polynomial
theta<-seq(-3,3,.1)
p<-rpf.prob(spec, c(-.11,.37,.24,-.21),theta)

spec <- rpf.lmp(2) # 5th order polynomial
p<-rpf.prob(spec, c(.69,.71,-.5,-8.48,.52,-3.32),theta)
```

<code>rpf.logprob</code>	<i>Map an item model, item parameters, and person trait score into a probability vector</i>
--------------------------	---

Description

Note that in general, `exp(rpf.logprob(..)) != rpf.prob(..)` because the range of logits is much wider than the range of probabilities due to limitations of floating point numerical precision.

Usage

```
rpf.logprob(m, param, theta)
```

Arguments

<code>m</code>	an item model
<code>param</code>	item parameters
<code>theta</code>	the trait score(s)

Value

a vector of probabilities. For dichotomous items, probabilities are returned in the order incorrect, correct. Although redundant, both incorrect and correct probabilities are returned in the dichotomous case for API consistency with polytomous item models.

Examples

```
i1 <- rpf.drm()
i1.p <- rpf.rparam(i1)
rpf.logprob(i1, c(i1.p), -1) # low trait score
rpf.logprob(i1, c(i1.p), c(0,1)) # average and high trait score
```

rpf.mcm

Create a multiple-choice response model

Description

[Experimental]

Usage

```
rpf.mcm(outcomes = 2, numChoices = 5, factors = 1)
```

Arguments

outcomes	the number of possible outcomes
numChoices	the number of choices available
factors	the number of factors

Details

This function instantiates a multiple-choice response model.

Value

an item model

Author(s)

Jonathan Weeks <weeksjp@gmail.com>

See Also

Other response model: [rpf.drm\(\)](#), [rpf.gpcmp\(\)](#), [rpf.grmp\(\)](#), [rpf.grm\(\)](#), [rpf.lmp\(\)](#), [rpf.nrm\(\)](#)

rpf.mean.info *Find the point where an item provides mean maximum information*

Description

[Experimental] This is a point estimate of the mean difficulty of items that do not offer easily interpretable parameters such as the Generalized PCM. Since the information curve may not be unimodal, this function integrates across the latent space.

Usage

```
rpf.mean.info(spec, param, grain = 0.1)
```

Arguments

spec	list of item specs
param	list or matrix of item parameters
grain	the step size for numerical integration (optional)

rpf.mean.info1 *Find the point where an item provides mean maximum information*

Description

[Experimental]

Usage

```
rpf.mean.info1(spec, iparam, grain = 0.1)
```

Arguments

spec	an item spec
iparam	an item parameter vector
grain	the step size for numerical integration (optional)

rpf.modify *Create a similar item specification with the given number of factors*

Description

Create a similar item specification with the given number of factors

Usage

```
rpf.modify(m, factors)
```

Arguments

m	item model
factors	the number of factors/dimensions

Examples

```
s1 <- rpf.grm(factors=3)
rpf.rparam(s1)
s2 <- rpf.modify(s1, 1)
rpf.rparam(s2)
```

rpf.nrm *Create a nominal response model*

Description

This function instantiates a nominal response model.

Usage

```
rpf.nrm(outcomes = 3, factors = 1, T.a = "trend", T.c = "trend")
```

Arguments

outcomes	The number of choices available
factors	the number of factors
T.a	the T matrix for slope parameters
T.c	the T matrix for intercept parameters

Details

The transformation matrices T_a and T_c are chosen by the analyst and not estimated. The T matrices must be invertible square matrices of size `outcomes-1`. As a shortcut, either T matrix can be specified as "trend" for a Fourier basis or as "id" for an identity basis. The response probability function is

$$a = T_a \alpha$$

$$c = T_c \gamma$$

$$P(\text{pick} = k | s, a_k, c_k, \theta) = C \frac{1}{1 + \exp(-(s\theta a_k + c_k))}$$

where a_k and c_k are the result of multiplying two vectors of free parameters α and γ by fixed matrices T_a and T_c , respectively; a_0 and c_0 are fixed to 0 for identification; and C is a normalizing factor to ensure that $\sum_k P(\text{pick} = k) = 1$.

Value

an item model

References

Thissen, D., Cai, L., & Bock, R. D. (2010). The Nominal Categories Item Response Model. In M. L. Nering & R. Ostini (Eds.), *Handbook of Polytomous Item Response Theory Models* (pp. 43–75). Routledge.

See Also

Other response model: [rpf.drm\(\)](#), [rpf.gpcmp\(\)](#), [rpf.grmp\(\)](#), [rpf.grm\(\)](#), [rpf.lmp\(\)](#), [rpf.mcm\(\)](#)

Examples

```
spec <- rpf.nrm()
rpf.prob(spec, rpf.rparam(spec), 0)
# typical parameterization for the Generalized Partial Credit Model
gpcm <- function(outcomes) rpf.nrm(outcomes, T.c=lower.tri(diag(outcomes-1),TRUE) * -1)
spec <- gpcm(4)
rpf.prob(spec, rpf.rparam(spec), 0)
```

rpf.numParam	<i>Length of the item parameter vector</i>
--------------	--

Description

Length of the item parameter vector

Usage

```
rpf.numParam(m)
```

Arguments

m	item model
---	------------

Examples

```
rpf.numParam(rpf.grm(outcomes=3))  
rpf.numParam(rpf.nrm(outcomes=3))
```

rpf.numSpec	<i>Length of the item model vector</i>
-------------	--

Description

Length of the item model vector

Usage

```
rpf.numSpec(m)
```

Arguments

m	item model
---	------------

Examples

```
rpf.numSpec(rpf.grm(outcomes=3))  
rpf.numSpec(rpf.nrm(outcomes=3))
```

rpf.ogive

The ogive constant

Description

The ogive constant can be multiplied by the discrimination parameter to obtain a response curve very similar to the Normal cumulative distribution function (Haley, 1952; Molenaar, 1974). Recently, Savalei (2006) proposed a new constant of 1.749 based on Kullback-Leibler information.

Usage

rpf.ogive

Format

An object of class `numeric` of length 1.

Details

In recent years, the logistic has grown in favor, and therefore, this package does not offer any special support for this transformation (Baker & Kim, 2004, pp. 14-18).

References

- Camilli, G. (1994). Teacher's corner: Origin of the scaling constant $d=1.7$ in Item Response Theory. *Journal of Educational and Behavioral Statistics*, 19(3), 293-295.
- Baker & Kim (2004). *Item Response Theory: Parameter Estimation Techniques*. Marcel Dekker, Inc.
- Haley, D. C. (1952). *Estimation of the dosage mortality relationship when the dose is subject to error* (Technical Report No. 15). Stanford University Applied Mathematics and Statistics Laboratory, Stanford, CA.
- Molenaar, W. (1974). De logistische en de normale kromme [The logistic and the normal curve]. *Nederlands Tijdschrift voor de Psychologie* 29, 415-420.
- Savalei, V. (2006). Logistic approximation to the normal: The KL rationale. *Psychometrika*, 71(4), 763-767.

rpf.paramInfo	<i>Retrieve a description of the given parameter</i>
---------------	--

Description

Retrieve a description of the given parameter

Usage

```
rpf.paramInfo(m, num = NULL)
```

Arguments

m	item model
num	vector of parameters (defaults to all)

Value

a list containing the type, upper bound, and lower bound

Examples

```
rpf.paramInfo(rpf.drm())
```

rpf.prob	<i>Map an item model, item parameters, and person trait score into a probability vector</i>
----------	---

Description

This function is known by many names in the literature. When plotted against latent trait, it is often called a traceline, item characteristic curve, or item response function. Sometimes the word 'category' or 'outcome' is used in place of 'item'. For example, 'item response function' might become 'category response function'. All these terms refer to the same thing.

Usage

```
rpf.prob(m, param, theta)
```

Arguments

m	an item model
param	item parameters
theta	the trait score(s)

Value

a vector of probabilities. For dichotomous items, probabilities are returned in the order incorrect, correct. Although redundant, both incorrect and correct probabilities are returned in the dichotomous case for API consistency with polytomous item models.

Examples

```
i1 <- rpf.drm()
i1.p <- rpf.rparam(i1)
rpf.prob(i1, c(i1.p), -1) # low trait score
rpf.prob(i1, c(i1.p), c(0,1)) # average and high trait score
```

<code>rpf.rescale</code>	<i>Rescale item parameters</i>
--------------------------	--------------------------------

Description

Adjust item parameters for changes in mean and covariance of the latent distribution.

Usage

```
rpf.rescale(m, param, mean, cov)
```

Arguments

<code>m</code>	item model
<code>param</code>	item parameters
<code>mean</code>	vector of means
<code>cov</code>	covariance matrix

Examples

```
spec <- rpf.grm()
p1 <- rpf.rparam(spec)
testPoint <- rnorm(1)
move <- rnorm(1)
cov <- as.matrix(rlnorm(1))
Icov <- solve(cov)
padj <- rpf.rescale(spec, p1, move, cov)
pr1 <- rpf.prob(spec, padj, (testPoint-move) %*% Icove)
pr2 <- rpf.prob(spec, p1, testPoint)
abs(pr1 - pr2) < 1e9
```

rpf.rparam	<i>Generates item parameters</i>
------------	----------------------------------

Description

This function generates random item parameters. The version argument is available if you are writing a test that depends on reproducible random parameters (using `set.seed`).

Usage

```
rpf.rparam(m, version = 2L)
```

Arguments

m	an item model
version	the version of random parameters

Value

item parameters

Examples

```
i1 <- rpf.drm()
rpf.rparam(i1)
```

rpf.sample	<i>Randomly sample response patterns given a list of items</i>
------------	--

Description

Returns a random sample of response patterns given a list of item models and parameters. If `grp` is given then `theta`, `items`, `params`, `mean`, and `cov` can be omitted.

Usage

```
rpf.sample(
  theta,
  items,
  params,
  ...,
  prefix = "i",
  mean = NULL,
  cov = NULL,
  mcar = 0,
  grp = NULL
)
```

Arguments

<code>theta</code>	either a vector (for 1 dimension) or a matrix (for >1 dimension) of person abilities or the number of response patterns to generate randomly
<code>items</code>	a list of item models
<code>params</code>	a list or matrix of item parameters. If omitted, random item parameters are generated for each item model.
<code>...</code>	Not used. Forces remaining arguments to be specified by name.
<code>prefix</code>	Column names are taken from param or items. If no column names are available, some will be generated using the given prefix.
<code>mean</code>	mean vector of latent distribution (optional)
<code>cov</code>	covariance matrix of latent distribution (optional)
<code>mcar</code>	proportion of generated data to set to NA (missing completely at random)
<code>grp</code>	a list containing the model and data. See the details section.

Value

Returns a data frame of response patterns

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The `param` matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in `spec` and order of columns in `param` are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting `rownames`. Item names are assigned by `param` `colnames`.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also[sample](#)**Examples**

```
# 1 dimensional items
i1 <- rpf.drm()
i1.p <- rpf.rparam(i1)
i2 <- rpf.nrm(outcomes=3)
i2.p <- rpf.rparam(i2)
rpf.sample(5, list(i1,i2), list(i1.p, i2.p))
```

science

Liking for Science dataset

Description

These data are from Wright & Masters (1982, p. 18).

Details

All items were fit to a 3 category Partial Credit Model (PCM) using Ministep 3.75.0.

References

Wright, B. D. & Masters, G. N. (1982). *Rating Scale Analysis*. Chicago: Mesa Press.

Examples

```
data(science)
```

SitemFit

Compute the S fit statistic for a set of items

Description

Runs [SitemFit1](#) for every item and accumulates the results.

Usage

```
SitemFit(
  grp,
  ...,
  method = "pearson",
  log = TRUE,
  qwidth = 6,
  qpoints = 49L,
  alt = FALSE,
  omit = 0L,
  .twotier = TRUE,
  .parallel = TRUE
)
```

Arguments

<code>grp</code>	a list containing the model and data. See the details section.
<code>...</code>	Not used. Forces remaining arguments to be specified by name.
<code>method</code>	whether to use a pearson or rms test
<code>log</code>	whether to return p-values in log units
<code>qwidth</code>	[Deprecated]
<code>qpoints</code>	[Deprecated]
<code>alt</code>	whether to include the item of interest in the denominator
<code>omit</code>	number of items to omit (a single number) or a list of the length the number of items
<code>.twotier</code>	whether to enable the two-tier optimization
<code>.parallel</code>	whether to take advantage of multiple CPUs (default TRUE)

Value

a list of output from [SitemFit1](#)

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

See Also

Other diagnostic: [ChenThissen1997\(\)](#), [SitemFit1\(\)](#), [multinomialFit\(\)](#), [rpf.1dim.fit\(\)](#), [sumScoreEAPTest\(\)](#)

Examples

```
grp <- list(spec=list())
grp$spec[1:20] <- list(rpf.grm())
grp$param <- sapply(grp$spec, rpf.rparam)
colnames(grp$param) <- paste("i", 1:20, sep="")
grp$mean <- 0
grp$cov <- diag(1)
grp$free <- grp$param != 0
grp$data <- rpf.sample(500, grp=grp)
SitemFit1(grp)
```

SitemFit1

Compute the S fit statistic for 1 item

Description

Implements the Kang & Chen (2007) polytomous extension to S statistic of Orlando & Thissen (2000). Rows with missing data are ignored, but see the omit option.

Usage

```
SitemFit1(
  grp,
  item,
  free = 0,
```

```

    ...,
    method = "pearson",
    log = TRUE,
    qwidth = 6,
    qpoints = 49L,
    alt = FALSE,
    omit = 0L,
    .twotier = TRUE
)

```

Arguments

<code>grp</code>	a list containing the model and data. See the details section.
<code>item</code>	the item of interest
<code>free</code>	the number of free parameters involved in estimating the item (to adjust the df)
<code>...</code>	Not used. Forces remaining arguments to be specified by name.
<code>method</code>	whether to use a pearson or rms test
<code>log</code>	whether to return p-values in log units
<code>qwidth</code>	[Deprecated]
<code>qpoints</code>	[Deprecated]
<code>alt</code>	whether to include the item of interest in the denominator
<code>omit</code>	number of items to omit or a character vector with the names of the items to omit when calculating the observed and expected sum-score tables
<code>.twotier</code>	whether to enable the two-tier optimization

Details

This statistic is good at finding a small number of misfitting items among a large number of well fitting items. However, be aware that misfitting items can cause other items to misfit.

Observed tables cannot be computed when data is missing. Therefore, you can optionally omit items with the greatest number of responses missing relative to the item of interest.

Pearson is slightly more powerful than RMS in most cases I examined.

Setting `alt` to TRUE causes the tables to match published articles. However, the default setting of FALSE probably provides slightly more power when there are less than 10 items.

The name of the test, "S", probably stands for sum-score.

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution
data data.frame containing observed item responses, and optionally, weights and frequencies
score factors scores with response patterns in rows
weightColumn name of the data column containing the numeric row weights (optional)
freqColumn name of the data column containing the integral row frequencies (optional)
qwidth width of the quadrature expressed in Z units
qpoints number of quadrature points
minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

References

Kang, T. and Chen, T. T. (2007). An investigation of the performance of the generalized S-Chisq item-fit index for polytomous IRT models. ACT Research Report Series.
Orlando, M. and Thissen, D. (2000). Likelihood-Based Item-Fit Indices for Dichotomous Item Response Theory Models. *Applied Psychological Measurement*, 24(1), 50-64.

See Also

Other diagnostic: [ChenThissen1997\(\)](#), [SitemFit\(\)](#), [multinomialFit\(\)](#), [rpf.1dim.fit\(\)](#), [sumScoreEAPTest\(\)](#)

stripData

Strip data and scores from an IFA group

Description

In addition, the freqColumn and weightColumn are reset to NULL.

Usage

```
stripData(grp)
```

Arguments

grp a list containing the model and data. See the details section.

Value

The same group without associated data.

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

Examples

```
spec <- list()
spec[1:3] <- list(rpf.grm(outcomes=3))
param <- sapply(spec, rpf.rparam)
data <- rpf.sample(5, spec, param)
colnames(param) <- colnames(data)
grp <- list(spec=spec, param=param, data=data, minItemsPerScore=1L)
grp$score <- EAPscores(grp)
str(grp)
grp <- stripData(grp)
str(grp)
```

sumScoreEAP	<i>Compute the sum-score EAP table</i>
-------------	--

Description

Observed tables cannot be computed when data is missing. Therefore, you can optionally omit items with the greatest number of responses missing when conducting the distribution test.

Usage

```
sumScoreEAP(grp, ..., qwidth = 6, qpoints = 49L, .twotier = TRUE)
```

Arguments

grp	a list containing the model and data. See the details section.
...	Not used. Forces remaining arguments to be specified by name.
qwidth	DEPRECATED
qpoints	DEPRECATED
.twotier	whether to enable the two-tier optimization

Details

When two-tier covariance structure is detected, EAP scores are only reported for primary factors. It is possible to compute EAP scores for specific factors, but it is not clear why this would be useful because they are conditional on the specific factor sum scores. Moreover, the algorithm to compute them efficiently has not been published yet (as of Jun 2014).

Format of a group

A model, or group within a model, is represented as a named list.

- spec** list of response model objects
- param** numeric matrix of item parameters
- free** logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)
- mean** numeric vector giving the mean of the latent distribution
- cov** numeric matrix giving the covariance of the latent distribution
- data** data.frame containing observed item responses, and optionally, weights and frequencies
- score** factors scores with response patterns in rows
- weightColumn** name of the data column containing the numeric row weights (optional)
- freqColumn** name of the data column containing the integral row frequencies (optional)
- qwidth** width of the quadrature expressed in Z units
- qpoints** number of quadrature points
- minItemsPerScore** minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by `EAPscores`.

See Also

Other scoring: `EAPscores()`, `bestToOmit()`, `itemOutcomeBySumScore()`, `observedSumScore()`, `omitItems()`, `omitMostMissing()`

Examples

```
# see Thissen, Pommerich, Billeaud, & Williams (1995, Table 2)
spec <- list()
spec[1:3] <- list(rpf.grm(outcomes=4))

param <- matrix(c(1.87, .65, 1.97, 3.14,
                 2.66, .12, 1.57, 2.69,
                 1.24, .08, 2.03, 4.3), nrow=4)
# fix parameterization
param <- apply(param, 2, function(p) c(p[1], p[2:4] * -p[1]))

grp <- list(spec=spec, mean=0, cov=matrix(1,1,1), param=param)
sumScoreEAP(grp)
```

sumScoreEAPTest

Conduct the sum-score EAP distribution test

Description

Conduct the sum-score EAP distribution test

Usage

```
sumScoreEAPTest(grp, ..., qwidth = 6, qpoints = 49L, .twotier = TRUE)
```

Arguments

grp	a list containing the model and data. See the details section.
...	Not used. Forces remaining arguments to be specified by name.
qwidth	DEPRECATED

qpoints	DEPRECATED
.twotier	whether to enable the two-tier optimization

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, qwidth=2 and qpoints=5 would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

References

Li, Z., & Cai, L. (2018). Summed Score Likelihood-Based Indices for Testing Latent Variable Distribution Fit in Item Response Theory. *Educational and Psychological Measurement*, 78(5), 857-886.

See Also

Other diagnostic: [ChenThissen1997\(\)](#), [SitemFit1\(\)](#), [SitemFit\(\)](#), [multinomialFit\(\)](#), [rpf.1dim.fit\(\)](#)

tabulateRows	<i>Tabulate data.frame rows</i>
--------------	---------------------------------

Description

Like `tabulate` but entire rows are the unit of tabulation. The `data.frame` is not sorted, but must be sorted already.

Usage

```
tabulateRows(observed)
```

Arguments

`observed` a sorted `data.frame` holding ordered factors in every column

See Also

[orderCompletely](#)

Examples

```
df <- as.data.frame(matrix(c(sample.int(2, 30, replace=TRUE)), 10, 3))
df <- df[orderCompletely(df),]
tabulateRows(df)
```

toFactorLoading	<i>Convert response function slopes to factor loadings</i>
-----------------	--

Description

All slopes are divided by the ogive constant. Then the following transformation is applied to the slope matrix,

Usage

```
toFactorLoading(slope, ogive = rpf.ogive)
```

Arguments

`slope` a matrix with items in the columns and slopes in the rows
`ogive` the ogive constant (default [rpf.ogive](#))

Details

$$\frac{\text{slope}}{[1 + \text{rowSums}(\text{slope}^2)]^{\frac{1}{2}}}$$

Value

a factor loading matrix with items in the rows and factors in the columns

See Also

Other factor model equivalence: [fromFactorLoading\(\)](#), [fromFactorThreshold\(\)](#), [toFactorThreshold\(\)](#)

toFactorThreshold	<i>Convert response function intercepts to factor thresholds</i>
-------------------	--

Description

Convert response function intercepts to factor thresholds

Usage

```
toFactorThreshold(intercept, slope, ogive = rpf.ogive)
```

Arguments

intercept	a matrix with items in the columns and intercepts in the rows
slope	a matrix with items in the columns and slopes in the rows
ogive	the ogive constant (default rpf.ogive)

Value

a factor threshold matrix with items in the columns and factor thresholds in the rows

See Also

Other factor model equivalence: [fromFactorLoading\(\)](#), [fromFactorThreshold\(\)](#), [toFactorLoading\(\)](#)

write.flexmirt	<i>Write a flexMIRT PRM file</i>
----------------	----------------------------------

Description

[Experimental] This was last updated in 2017 and may no longer work.

Usage

```
write.flexmirt(groups, file = NULL, fileEncoding = "")
```

Arguments

groups	a list of groups each with items and latent parameters
file	the destination file name
fileEncoding	how to encode the text file (optional)

Details

Formats item parameters in the way that flexMIRT expects to read them.

NOTE: Support for the graded response model may not be complete.

Format of a group

A model, or group within a model, is represented as a named list.

spec list of response model objects

param numeric matrix of item parameters

free logical matrix of indicating which parameters are free (TRUE) or fixed (FALSE)

mean numeric vector giving the mean of the latent distribution

cov numeric matrix giving the covariance of the latent distribution

data data.frame containing observed item responses, and optionally, weights and frequencies

score factors scores with response patterns in rows

weightColumn name of the data column containing the numeric row weights (optional)

freqColumn name of the data column containing the integral row frequencies (optional)

qwidth width of the quadrature expressed in Z units

qpoints number of quadrature points

minItemsPerScore minimum number of non-missing items when estimating factor scores

The param matrix stores items parameters by column. If a column has more rows than are required to fully specify a model then the extra rows are ignored. The order of the items in spec and order of columns in param are assumed to match. All items should have the same number of latent dimensions. Loadings on latent dimensions are given in the first few rows and can be named by setting rownames. Item names are assigned by param colnames.

Currently only a multivariate normal distribution is available, parameterized by the mean and cov. If mean and cov are not specified then a standard normal distribution is assumed. The quadrature consists of equally spaced points. For example, `qwidth=2` and `qpoints=5` would produce points -2, -1, 0, 1, and 2. The quadrature specification is part of the group and not passed as extra arguments for the sake of consistency. As currently implemented, OpenMx uses EAP scores to estimate latent distribution parameters. By default, the exact same EAP scores should be produced by [EAPscores](#).

Index

- * **datasets**
 - rpf.ogive, 50
- * **data**
 - kct, 19
 - LSAT6, 20
 - LSAT7, 20
 - science, 55
- * **diagnostic**
 - ChenThissen1997, 7
 - multinomialFit, 21
 - rpf.1dim.fit, 30
 - SitemFit, 55
 - SitemFit1, 57
 - sumScoreEAPTest, 62
- * **factor model equivalence**
 - fromFactorLoading, 16
 - fromFactorThreshold, 17
 - toFactorLoading, 64
 - toFactorThreshold, 65
- * **response model**
 - rpf.drm, 35
 - rpf.gpcmp, 37
 - rpf.grm, 38
 - rpf.grmp, 39
 - rpf.lmp, 42
 - rpf.mcm, 45
 - rpf.nrm, 47
- * **scoring**
 - bestToOmit, 6
 - EAPscores, 14
 - itemOutcomeBySumScore, 17
 - observedSumScore, 23
 - omitItems, 24
 - omitMostMissing, 25
 - sumScoreEAP, 61
- \$, rpf.base-method (Class rpf.base), 11
- \$<-, rpf.base-method (Class rpf.base), 11
- _rpf_dLL (rpf.dLL), 34
- _rpf_dTheta (rpf.dTheta), 36
- _rpf_logprob (rpf.logprob), 44
- _rpf_prob (rpf.prob), 51
- _rpf_rescale (rpf.rescale), 52
- An introduction, 4
- as.IFAGroup, 5
- bestToOmit, 6, 15, 18, 24–26, 62
- chen.thissen.1997 (ChenThissen1997), 7
- ChenThissen1997, 7, 22, 30, 32, 57, 59, 63
- Class rpf.1dim, 9
- Class rpf.1dim.drm, 10
- Class rpf.1dim.gpcmp, 10
- Class rpf.1dim.graded, 10
- Class rpf.1dim.grm, 10
- Class rpf.1dim.grmp, 10
- Class rpf.1dim.lmp, 11
- Class rpf.base, 11
- Class rpf.mdim, 11
- Class rpf.mdim.drm, 11
- Class rpf.mdim.graded, 11
- Class rpf.mdim.grm, 12
- Class rpf.mdim.mcm, 12
- Class rpf.mdim.nrm, 12
- collapseCategoricalCells, 12
- compressDataFrame, 13
- crosstabTest, 14
- EAPscores, 5–7, 9, 14, 15, 18, 22, 24–26, 30–32, 54, 57, 59, 60, 62, 63, 67
- expandDataFrame, 16
- fromFactorLoading, 16, 17, 65
- fromFactorThreshold, 17, 17, 65
- itemOutcomeBySumScore, 7, 15, 17, 24–26, 62
- kct, 19

- logit, [19](#), [35](#)
- LSAT6, [20](#)
- LSAT7, [20](#)
- multinomialFit, [9](#), [21](#), [32](#), [57](#), [59](#), [63](#)
- observedSumScore, [7](#), [15](#), [18](#), [23](#), [25](#), [26](#), [62](#)
- omitItems, [7](#), [15](#), [18](#), [24](#), [24](#), [26](#), [62](#)
- omitMostMissing, [7](#), [15](#), [18](#), [24](#), [25](#), [25](#), [62](#)
- orderCompletely, [27](#), [64](#)
- ordinal.gamma, [8](#), [27](#)
- ptw2011.gof.test, [28](#)
- read.flexmirt, [29](#)
- rpf-package (An introduction), [4](#)
- rpf.1dim-class (Class rpf.1dim), [9](#)
- rpf.1dim.drm-class (Class rpf.1dim.drm), [10](#)
- rpf.1dim.fit, [9](#), [22](#), [30](#), [57](#), [59](#), [63](#)
- rpf.1dim.gpcmp-class (Class rpf.1dim.gpcmp), [10](#)
- rpf.1dim.graded-class (Class rpf.1dim.graded), [10](#)
- rpf.1dim.grm-class (Class rpf.1dim.grm), [10](#)
- rpf.1dim.grmp-class (Class rpf.1dim.grmp), [10](#)
- rpf.1dim.lmp-class (Class rpf.1dim.lmp), [11](#)
- rpf.1dim.moment, [32](#)
- rpf.1dim.residual, [33](#)
- rpf.1dim.stdresidual, [34](#)
- rpf.base-class (Class rpf.base), [11](#)
- rpf.dLL, [34](#)
- rpf.dLL, rpf.base, numeric, NULL, numeric-method (rpf.dLL), [34](#)
- rpf.dLL, rpf.base, numeric, numeric, numeric-method (rpf.dLL), [34](#)
- rpf.drm, [4](#), [35](#), [38](#), [39](#), [41](#), [44](#), [45](#), [48](#)
- rpf.dTheta, [36](#), [40](#), [43](#)
- rpf.dTheta, rpf.base, numeric, matrix, numeric-method (rpf.dTheta), [36](#)
- rpf.dTheta, rpf.base, numeric, numeric, numeric-method (rpf.dTheta), [36](#)
- rpf.gpcmp, [36](#), [37](#), [39–41](#), [43–45](#), [48](#)
- rpf.grm, [4](#), [36](#), [38](#), [38](#), [41](#), [44](#), [45](#), [48](#)
- rpf.grmp, [36](#), [38](#), [39](#), [39](#), [43–45](#), [48](#)
- rpf.id_of, [41](#)
- rpf.info, [36](#), [42](#)
- rpf.lmp, [36–41](#), [42](#), [45](#), [48](#)
- rpf.logprob, [44](#)
- rpf.logprob, rpf.1dim, numeric, matrix-method (rpf.logprob), [44](#)
- rpf.logprob, rpf.1dim, numeric, numeric-method (rpf.logprob), [44](#)
- rpf.logprob, rpf.mdim, numeric, matrix-method (rpf.logprob), [44](#)
- rpf.logprob, rpf.mdim, numeric, NULL-method (rpf.logprob), [44](#)
- rpf.logprob, rpf.mdim, numeric, numeric-method (rpf.logprob), [44](#)
- rpf.mcm, [36](#), [38](#), [39](#), [41](#), [44](#), [45](#), [48](#)
- rpf.mdim-class (Class rpf.mdim), [11](#)
- rpf.mdim.drm-class (Class rpf.mdim.drm), [11](#)
- rpf.mdim.graded-class (Class rpf.mdim.graded), [11](#)
- rpf.mdim.grm-class (Class rpf.mdim.grm), [12](#)
- rpf.mdim.mcm-class (Class rpf.mdim.mcm), [12](#)
- rpf.mdim.nrm-class (Class rpf.mdim.nrm), [12](#)
- rpf.mean.info, [46](#)
- rpf.mean.info1, [46](#)
- rpf.modify, [47](#)
- rpf.modify, rpf.mdim.drm, numeric-method (rpf.modify), [47](#)
- rpf.modify, rpf.mdim.graded, numeric-method (rpf.modify), [47](#)
- rpf.modify, rpf.mdim.nrm, numeric-method (rpf.modify), [47](#)
- rpf.nrm, [4](#), [36](#), [38](#), [39](#), [41](#), [44](#), [45](#), [47](#)
- rpf.numParam, [49](#)
- rpf.numParam, rpf.base-method (rpf.numParam), [49](#)
- rpf.numSpec, [49](#)
- rpf.numSpec, rpf.base-method (rpf.numSpec), [49](#)
- rpf.ogive, [4](#), [16](#), [17](#), [50](#), [64](#), [65](#)
- rpf.paramInfo, [51](#)
- rpf.paramInfo, rpf.base-method (rpf.paramInfo), [51](#)
- rpf.prob, [37](#), [40](#), [43](#), [51](#)
- rpf.prob, rpf.1dim, numeric, matrix-method (rpf.prob), [51](#)

- rpf.prob, rpf.1dim, numeric, numeric-method (rpf.prob), [51](#)
- rpf.prob, rpf.1dim.grm, numeric, numeric-method (rpf.prob), [51](#)
- rpf.prob, rpf.base, data.frame, numeric-method (rpf.prob), [51](#)
- rpf.prob, rpf.base, matrix, matrix-method (rpf.prob), [51](#)
- rpf.prob, rpf.base, matrix, numeric-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim, numeric, matrix-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim, numeric, NULL-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim, numeric, numeric-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim.grm, numeric, matrix-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim.grm, numeric, numeric-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim.mcm, numeric, matrix-method (rpf.prob), [51](#)
- rpf.prob, rpf.mdim.nrm, numeric, matrix-method (rpf.prob), [51](#)
- rpf.rescale, [52](#)
- rpf.rescale, rpf.base, numeric, numeric, matrix-method (rpf.rescale), [52](#)
- rpf.rparam, [5](#), [53](#)
- rpf.rparam, rpf.1dim.drm-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.1dim.gpcmp-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.1dim.graded-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.1dim.grmp-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.1dim.lmp-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.mdim.drm-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.mdim.graded-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.mdim.mcm-method (rpf.rparam), [53](#)
- rpf.rparam, rpf.mdim.nrm-method (rpf.rparam), [53](#)
- rpf.sample, [53](#)
- rpf_numParam_wrapper (rpf.numParam), [49](#)
- rpf_numSpec_wrapper (rpf.numSpec), [49](#)
- rpf_paramInfo_wrapper (rpf.paramInfo), [51](#)
- sample, [55](#)
- science, [55](#)
- sfif (science), [55](#)
- sfpf (science), [55](#)
- sfsf (science), [55](#)
- sfxf (science), [55](#)
- SitemFit, [9](#), [22](#), [32](#), [55](#), [59](#), [63](#)
- SitemFit1, [9](#), [22](#), [32](#), [55–57](#), [57](#), [63](#)
- stripData, [59](#)
- sumScoreEAP, [7](#), [15](#), [18](#), [24–26](#), [61](#)
- sumScoreEAPTest, [9](#), [22](#), [32](#), [57](#), [59](#), [62](#)
- tabulateRows, [64](#)
- toFactorLoading, [17](#), [64](#), [65](#)
- toFactorThreshold, [17](#), [65](#), [65](#)
- write.flexmirt, [66](#)